

Product End of Life Instructions

Contactor TeSysG225 3P Std 100-250V ACDC





End of Life Instructions



1

| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|--|---------------|-------------------|
| To be depolluted | 1 | Electronic Board (Communication) > 10cm ² | 56 | 74cm ² |



Product description

| | |
|-----------------------------------|---|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | This product is a 440V&225A and control voltage 100-250V(AC-DC) contactor |
| Product reference | LC1G225KUEN |
| Total representative product mass | 3600 g |
| Representative product dimensions | 193mm x 108mm x 193mm |
| Accessories | No |
| Date of information release | 09/2021 |



Additional information

| | | |
|--|--|---|
| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
| In case of special transportation: transportation method | No | |
| Recyclability potential | 48% | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI2105013_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

09/2021