

NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

CRC(NZ) Copper Anti-Seize Aerosol

INGREDIENTS	CAS NO	%	TWA
paraffinic distillate, heavy, solvent-dewaxed (severe)	64742-65-0.	30-60	5 mg/m3
copper	7440-50-8	5-10	0.2; 1 mg/m3
graphite	7782-42-5	5-10	3 mg/m3
hydrocarbons, C3-4 rich, petroleum distillate	68512-91-4	20-50	-

GHS	DG
	UN No: 1950 Hazchem Code: Not Applicable DG Class: 2.1 Subsidiary Risk: Not Applicable Packing Group: Not Applicable

HEALTH HAZARD INFORMATION

Determined by Chemwatch using GHS/HSNO criteriaGazetted by EPA New Zealand	2.1.2A, 6.1C (inhalation), 6.1C (oral), 6.5B (contact), 6.6A, 6.9B, 9.1B, 9.1D, 9.3B
Signal word:	Danger
Hazard statement(s):	H301 Toxic if swallowed. H317 May cause an allergic skin reaction. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H371 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H432 Hazardous to terrestrial vertebrates. H222 Extremely flammable aerosol.

PRECAUTIONS FOR USE

Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Gloves:	When handling larger quantities:
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep container in a well ventilated place. Keep away from heat. Keep away from sources of ignition. No smoking.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES



Liquid. Gas. Does not mix with water. Extremely flammable.

EMERGENCY



FIRST AID

Swallowed:	Do NOT give milk or oil. Do NOT give alcohol.
Skin:	Wash with soap & water. Apply cleansing cream.
Advice To Doctor:	Emesis generally unnecessary. Debride for subcutaneous injection. For severe poisoning, administer CaNa2EDTA. Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Keep containers cool. Foam.
Spills and Disposal:	Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together

0 — May be stored together with specific precautions

— May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.