

CAB604023

Fibox CAB Enclosure Wall Mount Glass Reinforced Polyester
IP65 H615 x W415 x D230mm



WALL MOUNT ENCLOSURES

FIBOX



Component type	Enclosure/cabinet (empty)
Range	CAB GRP
Model	N/A
Product status	Existing

The Fibox CAB Glass-Fibre-reinforced polyester (GRP) enclosure range is well suited for harsh outdoor installations, even when exposed to direct sunlight. It is fully insulated and is also resistant to a range of chemicals, as well as offering good impact resistance.

ELECTRICAL

EMC-version	No
-------------	----

Material	Plastic
----------	---------

Material quality	GRP (Glass fiber reinforced plastic)
------------------	--------------------------------------

Surface finishing	Untreated
-------------------	-----------

Colour	Grey
--------	------

RAL-number	7035
------------	------

IP rating	IP65
-----------	------

Type of lock	Other
--------------	-------

Lock diameter	3 mm
---------------	------

Material lock	Plastic
---------------	---------

Gland plate(s) included	No
-------------------------	----

With mounting plate	No
---------------------	----

Mounting plate depth-adjustable	No
---------------------------------	----

Floor standing wall model	No
---------------------------	----

Suitable for wall mounting	Yes
----------------------------	-----

Connectable	No
-------------	----

Number of doors	1
-----------------	---

Number of locks	2
-----------------	---

Suitable for wall built-in	No
----------------------------	----

Pole fastening	No
----------------	----

Suitable for metrical mounting	Yes
--------------------------------	-----

Suitable for outdoor set-up	Yes
-----------------------------	-----

Pitched roof	No
--------------	----

With glazed door	No
------------------	----

With ventilation door	No
-----------------------	----

With backside door	No
--------------------	----

CONSTRUCTION

MECHANICAL

CAB604023

Fibox CAB Enclosure Wall Mount Glass Reinforced Polyester
IP65 H615 x W415 x D230mm




WALL MOUNT ENCLOSURES

FIBOX

MECHANICAL	Impact strength	IK08
	Width	415 mm
DIMENSIONS	Height	615 mm
	Depth	230 mm
	Weight	7.29 kg

DIMENSIONAL DIAGRAM



RELATED PRODUCTS

ACCESSORY

Item No: DA28400

Required: No

Description: STEGO Pressure Compensation Device Plastic M40 IP66 and X9K Qty 2



Item No: DA28404000

Required: No

Description: STEGO Pressure Compensation Device Aluminium M12 IP67 Qty 1



CAB604023

Fibox CAB Enclosure Wall Mount Glass Reinforced Polyester
IP65 H615 x W415 x D230mm



WALL MOUNT ENCLOSURES

FIBOX

RELATED PRODUCTS

ACCESSORY



Item No: DA28406

Required: No

Description: STEGO Pressure Compensation Device Plastic M12 IP66 and X9K Qty 2



Item No: DA28420000

Required: No

Description: STEGO Pressure Compensation Device Plastic M40 IP66 Qty 1



Item No: DA28455

Required: No

Description: STEGO Pressure Compensation Device 303 Stainless M40 IP66 and X9K



Item No: DD084

Required: No

Description: STEGO Drainage Device Plastic IP66 and IP67 and IP69K M50



Item No: FP6040D

Required: No

Description: Fibox CAB Fixed Inner Door suits CAB and GRP 6040



Item No: MBCAB

Required: No

Description: Fibox Terminal Box Accessory Hinge Set suits CAB and GRP and FP Fixed Inner Doors



Item No: MP6040

Required: No

Description: Fibox CAB Mounting Plate Steel suits CAB604023