

GOLDAIR

HEATED TOWEL RAILS

OPERATING INSTRUCTIONS



GTRM*



GTRL*



GTRLFS*

* Available in either stainless steel or white

SAFETY INFORMATION

When using any electrical appliance, basic safety precautions should always be observed.

READ THESE INSTRUCTIONS CAREFULLY. Keep them handy for future reference.

- This appliance is intended to warm and dry towels and therefore is hot to the touch. When used by or near young children or infirm persons, close supervision is necessary. Young children should be supervised to ensure that they do not play with the appliance.
- Any rise in ambient temperature is directly reflected in the appliance, and as a result of this, the appliance will feel hotter to the touch during warmer periods. Also the insulation effect of towels will cause the operating temperature to increase slightly.
- The appliance is to be installed so that switches and other controls cannot be touched by a person in the bath or shower.
- Do NOT use this appliance for any purpose other than its intended use.
- To avoid a hazard this heated towel rail MUST NOT be used to carry towels or any other articles that have been in contact with oil, petroleum based products or dry cleaning fluids.
- Use this appliance only with the voltage specified on the rating label, or elsewhere in these instructions.
- Regulations require that electrical work be carried out only by authorised persons.
- This product must be used in conjunction with a hard wired switch.
- For your own safety and that of others ensure this is done.
- DO NOT immerse in any liquid.
- For service contact your nearest Authorised Service Agent.
- Means of disconnection must be incorporated in fixed wiring for permanently wired towel rails.

SPECIFICATIONS

DIMENSIONS			
Model:	GTRM*	GTRL*	GTRLFS*
Height:	615mm	605mm	890mm
Width:	575mm	730mm	720mm
Depth:	85mm	85mm	340mm
ELECTRICAL			
Wattage, Painted – White:	40-45W	65-70W	65-70W
Stainless Steel:	40-45W	60-65W	60-65W
Power supply:	230 ~ 240 Volts a.c., 50Hz, single phase		
International Protection Rating: IP34 - Splash proof			

CARE AND CLEANING

The Heated Towel Rail is best wiped down from time to time with a damp cloth.
DO NOT USE ANY ABRASIVE OR CORROSIVE CLEANERS.

INSTALLATION




Figure 1 – Wall Mounted Towel Rail




Figure 2 – Freestanding Towel Rail

ELECTRICAL INSTALLATION

This appliance **MUST** be installed in accordance with the relevant wiring rules and regulations and in particular those regulations which cover installation of appliances and accessories in damp situations such as bathrooms, showers, laundries and other areas with fixed water containers. It is to be fitted in accordance with applicable Australian/New Zealand standards (AS/NZS).

In accordance with New Zealand's wiring regulations this appliance is required to be connected to a power supply that includes an earth circuit.

This appliance cannot be connected to a two wire (lighting) power circuit.

WARNING: In order to avoid a hazard for young children, this appliance must be installed so that the bottom rail is at least 600 mm above the floor.

Special purpose tools are required for the replacement of the power supply cord and element. Contact an Authorised Service Agent for service.

Please note that if mounting your Heated Towel Rail yourself contact your local hardware professional for advice on the best mounting hardware for your walls, as this may vary.

WALL MOUNTED MODELS: GTRM AND GTRL

- ♦ Choose a suitable position on the wall to mount the Heated Towel Rail. The flex entry can be either on the left or right hand side but it must be horizontal and at the bottom of the frame.
- ♦ Fit the leg brackets and straps loosely to the frame, in the positions shown in figure 1.
- ♦ Place the Heated Towel Rail on a flat surface, check that all the leg brackets are sitting parallel and then tighten the screws, enough to hold the brackets firmly against the frame, without over tightening.
- ♦ Level up the top rail of the Heated Towel Rail and fasten to the wall with either the screws provided or with suitable toggle bolts.
- ♦ Fit the screw caps to cover the screw holes in each of the leg brackets.

PORTABLE MODEL: GTRLFS

- ♦ The above regulations restrict the use of portable appliances in damp situations, to safe distances from water containers and with suitable electrical protection i.e. RCD.
- ♦ To assemble, Attach the leg mounts to the towel rail frame using the screws provided. Remove the uppermost screw from each of the brass fittings. Slide the legs inside the leg mount and align the screw holes. Refit the screws and tighten.
- ♦ The Portable Heated Towel Rail **MUST** only be used with the Legs fitted.

GOLDAIR

SUPPORT AND TECHNICAL ADVICE

North Shore City, Auckland, New Zealand
Monday – Friday 8am-5pm
Phone: 0800 232 633
Website: www.goldair.co.nz

GOLDAIR

Your Goldair product has been inspected and tested and is guaranteed subject to the following for a period to two years from the date of purchase against defects in workmanship and materials. During this period, such defects will be rectified by repair or replacement of the product purchased. Your product contains no user serviceable components and this warranty becomes invalid if in our opinion the product has been misused, abused, incorrectly installed, tampered with, connected to an electrical supply not corresponding with the name plate specification, or subjected to power surges. The warranty does not include any labour or other associated expense that may be involved in removal or installation of the product. Normal wear and tear is expressly excluded.

If your Goldair product fails to operate satisfactorily, please return it to the retailer from whom it was purchased. To obtain a repair or replacement product under this warranty, you will need to produce satisfactory evidence of date of purchase. The completed warranty and purchase receipt must be presented with the product. The warranty should be filled out at the time of purchase. It is in your interest to make sure this is done.

If the product is to be replaced (cannot be repaired) then that replacement will be of the same or similar product or accessory excluding packaging, instruction card etc. Where a replacement product is supplied, this shall be guaranteed for the balance of the original warranty period.

Any model that is no longer available will be replaced by a model of a value and with such features as we consider appropriate in the circumstances. Goldair Ltd is not responsible for freight forwarding charges, losses or damage in transit.

If service is required after the warranty period has expired, the product should be returned to a qualified electrical technician. Service outside of the warranty period will be at your cost.

Consumers Guarantee Act (1993).

In accordance with the above act consumers are advised that: The manufacturer does not undertake that repair facilities and parts are necessarily available for this product.

If any of the provisions of the foregoing are contrary to any relevant legislation, then that provision shall be deemed to be excluded from the warranty and the rest of the provisions will continue to apply.

TWO YEAR WARRANTY

IMPORTANT: PLEASE RETAIN THIS WARRANTY CARD

NAME:

ADDRESS:

PURCHASED FROM:

SUBURB:

DATE OF PURCHASE:

NAME OF PRODUCT:

MODEL No: