


Premium
Switches and Sockets



make the
switch


:hager

**Design, though often quite technical,
is first and foremost about emotions:
seeing, understanding, feeling and
experiencing. That's why at Hager,
our goal is above all to put a 'face'
to our products: one of balance,
serenity, elegance and refinement.**

“We must create products that not only reflect that we care, but reflect our philosophy and brand identity”

Erwin van Handenhoven


finesse



Our architecturally inspired finesse range is sure to impress audiences with its minimalistic and precise design, and is considered to be ingeniously simplistic.

finesse	
Switch plates	10
Switches	11
Sockets	13
Switch cover plates	14
Socket cover plates	15

allure



The refined translucent edge that surrounds allure, accentuates its elegant profile – only 9mm off the wall surface, creating a unique floating effect.

allure	
Switch plates	18
Switches	20
Sockets	22
Switch cover plates	23
Socket cover plates	23


silhouette



With a simple and elegant form based on the serene balance of proportions and the reduction of the object essentials, our silhouette range gives each product the right tone of voice in order to fit within its environment.

silhouette	
Switch plates and switches	26
Sockets, electronic push button and other switches	27
Switch cover plates	28
Socket cover plates	29

premiere



Quietly boasting functionality and a beautifully understated form, premiere has a simple and stylish look that creates a soothing effect on its surroundings.

premiere	
Switch plates	32
Switches	33
IP66 switches	35
Single sockets	36
Double and 4 outlet sockets	37
Replacement surrounds	38

A quality finish right down to the wire

Fingerprint resistant



For maximum lustre, our metal covers have a treated surface to reduce fingerprint marks.

UV stabilised



Strong impact resistant polycarbonate material will not 'yellow' over time.

Slim profile



With a thickness of only 4mm off the wall surface, silhouette and finesse has the lowest profile on the market.

Standard 16AX mech



All of our standard mechanisms will handle a true 16AX fluorescent load.

Extensive research with architects, interior designers, electrical contractors and consumers have created a dynamic, fully featured range of switches and sockets - with an array of styles, colours and finishes to suit any space.

Child safe shutters



A spring loaded shutter protects little fingers from live parts inside sockets.

Roto-loc® mechanism



The patented Roto-loc system eliminates the possibility of the mechanism being pushed back into the wall cavity.

IP2X compliance



Provided with either a retained hinged cap in allure or deep screw receptor with finesse or silhouette for faster installation.

Added value



A full range of accessories and mechs including electronic push buttons and dimmers are also available.

finesse
minimal,
sleek





Colour range



Gloss White



Matt Black (MB)




Matt White (MW)

Features

- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Screw retention
- Hybrid plates for non-Hager Roto-loc mechanisms



WBQSP4



WBQSPB

Switch plates - no mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBQSP1
	● Matt Black	10	WBQSP1-MB
	○ Matt White	10	WBQSP1-MW
2 gang	○ Gloss White	10	WBQSP2
	● Matt Black	10	WBQSP2-MB
	○ Matt White	10	WBQSP2-MW
3 gang	○ Gloss White	10	WBQSP3
	● Matt Black	10	WBQSP3-MB
	○ Matt White	10	WBQSP3-MW
4 gang	○ Gloss White	10	WBQSP4
	● Matt Black	10	WBQSP4-MB
	○ Matt White	10	WBQSP4-MW
5 gang	○ Gloss White	10	WBQSP5
	● Matt Black	10	WBQSP5-MB
	○ Matt White	10	WBQSP5-MW
6 gang	○ Gloss White	10	WBQSP6
	● Matt Black	10	WBQSP6-MB
	○ Matt White	10	WBQSP6-MW
Blank	○ Gloss White	10	WBQSPB
	● Matt Black	10	WBQSPB-MB
	○ Matt White	10	WBQSPB-MW
Brush cable entry plate	○ Gloss White	10	WBQSPCE
	● Matt Black	10	WBQSPCE-MB
	○ Matt White	10	WBQSPCE-MW

Switch plates - hybrid (For use with non-Hager mechanisms)

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBQHSP1
	● Matt Black	10	WBQHSP1-MB
	○ Matt White	10	WBQHSP1-MW
2 gang	○ Gloss White	10	WBQHSP2
	● Matt Black	10	WBQHSP2-MB
	○ Matt White	10	WBQHSP2-MW
3 gang	○ Gloss White	10	WBQHSP3
	● Matt Black	10	WBQHSP3-MB
	○ Matt White	10	WBQHSP3-MW
4 gang	○ Gloss White	10	WBQHSP4
	● Matt Black	10	WBQHSP4-MB
	○ Matt White	10	WBQHSP4-MW



WBQHSP1



WBQHSP4

Features

- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Press mechs 10A
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- Push button mechanical switches rated 10A
- 2 way and loop terminal as standard
- Combination head screws 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable



Switches

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBQSV1
	● Matt Black	10	WBQSV1-MB
	○ Matt White	10	WBQSV1-MW
2 gang	○ Gloss White	10	WBQSV2
	● Matt Black	10	WBQSV2-MB
	○ Matt White	10	WBQSV2-MW
3 gang	○ Gloss White	5	WBQSV3
	● Matt Black	5	WBQSV3-MB
	○ Matt White	5	WBQSV3-MW
4 gang	○ Gloss White	5	WBQSV4
	● Matt Black	5	WBQSV4-MB
	○ Matt White	5	WBQSV4-MW
5 gang	○ Gloss White	5	WBQSV5
	● Matt Black	5	WBQSV5-MB
	○ Matt White	5	WBQSV5-MW
6 gang	○ Gloss White	5	WBQSV6
	● Matt Black	5	WBQSV6-MB
	○ Matt White	5	WBQSV6-MW




WBQSV1



WBQSV4-MB

Switches with 240V press mech

Description	Characteristics	Available colours	Box qty	Cat ref.
1 gang	10A	○ Gloss White	10	WBQSV1PB
		● Matt Black	10	WBQSV1PB-MB
		○ Matt White	10	WBQSV1PB-MW
2 gang	10A	○ Gloss White	10	WBQSV2PB
		● Matt Black	10	WBQSV2PB-MB
		○ Matt White	10	WBQSV2PB-MW
3 gang	10A	○ Gloss White	5	WBQSV3PB
		● Matt Black	5	WBQSV3PB-MB
		○ Matt White	5	WBQSV3PB-MW
4 gang	10A	○ Gloss White	5	WBQSV4PB
		● Matt Black	5	WBQSV4PB-MB
		○ Matt White	5	WBQSV4PB-MW
240V LED for PB mech LED - blue	240V			WBAPBLED



WBQSV1PB

Features

- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Press mechs 10A
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable



WBQSA2

Architrave switches

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBQSA1
	● Matt Black	10	WBQSA1-MB
	○ Matt White	10	WBQSA1-MW
2 gang	○ Gloss White	10	WBQSA2
	● Matt Black	10	WBQSA2-MB
	○ Matt White	10	WBQSA2-MW
3 gang	○ Gloss White	5	WBQSA3
	● Matt Black	5	WBQSA3-MB
	○ Matt White	5	WBQSA3-MW



WBQCKSV1

Switches - cooker switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Vertical cooker switch Double pole	40A	○ Gloss White	5	WBQCKSV1
		● Matt Black	5	WBQCKSV1-MB
		○ Matt White	5	WBQCKSV1-MW
Horizontal cooker switch Double pole	40A	○ Gloss White	5	WBQCKSH1
		● Matt Black	5	WBQCKSH1-MB
		○ Matt White	5	WBQCKSH1-MW

Features

- Removable covers for ease of painting
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination

- Supplied with retained tapered point 32mm fixing screws
- Spray matt finishes available in matt white and matt black

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- High impact, high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	Gloss White	10	WBQP1S
		Matt Black	10	WBQP1S-MB
		Matt White	10	WBQP1S-MW
	10A 'Round Earth'	Gloss White	10	WBQP1R
		Matt Black	10	WBQP1R-MB
		Matt White	10	WBQP1R-MW
	15A	Gloss White	5	WBQP115S
		Matt Black	5	WBQP115S-MB
		Matt White	5	WBQP115S-MW
Double sockets	10A	Gloss White	10	WBQP2S
		Matt Black	10	WBQP2S-MB
		Matt White	10	WBQP2S-MW
Double sockets with extra switch	10A	Gloss White	5	WBQP2XS
		Matt Black	5	WBQP2XS-MB
		Matt White	5	WBQP2XS-MW
Double sockets with 2 x 2.1A USB	10A	Gloss White	1	WBQP2SUSB
		Matt Black	1	WBQP2SUSB-MB
		Matt White	1	WBQP2SUSB-MW
Double sockets blanked extra switch	10A	Gloss White	1	WBQP2XSB
		Matt Black	1	WBQP2XSB-MB
		Matt White	1	WBQP2XSB-MW
Double sockets with USB Type A and Type C	10A	Gloss White	5	WBQP2SUSBAC
		Matt Black	5	WBQP2SUSBAC-MB
		Matt White	5	WBQP2SUSBAC-MW



WBQP2S



WBQP2S-MB



WBQP2XSUSB



WBQP2SUSB-MB



WBQP2SUSBAC

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
Single socket	10A	Gloss White	10	WBQP1VS
		Matt Black	10	WBQP1VS-MB
		Matt White	10	WBQP1VS-MW




WBQP1VS

Features

- High impact, high gloss UV stabilised polycarbonate
- Spray matt finishes available in matt white and matt black
- Screw retention



WBQCV1



WBQCV4

Switch cover plates


Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBQCV1
	● Matt Black	10	WBQCV1-MB
	○ Matt White	10	WBQCV1-MW
2 gang	○ Gloss White	10	WBQCV2
	● Matt Black	10	WBQCV2-MB
	○ Matt White	10	WBQCV2-MW
3 gang	○ Gloss White	10	WBQCV3
	● Matt Black	10	WBQCV3-MB
	○ Matt White	10	WBQCV3-MW
4 gang	○ Gloss White	10	WBQCV4
	● Matt Black	10	WBQCV4-MB
	○ Matt White	10	WBQCV4-MW
5 gang	○ Gloss White	10	WBQCV5
	● Matt Black	10	WBQCV5-MB
	○ Matt White	10	WBQCV5-MW
6 gang	○ Gloss White	10	WBQCV6
	● Matt Black	10	WBQCV6-MB
	○ Matt White	10	WBQCV6-MW

Features


- High impact, high gloss UV stabilised polycarbonate
- Spray matt finishes available in matt white and matt black
- Screw retention

Socket cover plates - horizontal

Description	Available colours	Box qty	Cat ref.
Cover single socket	☐ Gloss White	5	WBQCP1
	☒ Matt Black	5	WBQCP1-MB
	☐ Matt White	5	WBQCP1-MW
Cover double socket	☐ Gloss White	5	WBQCP2
	☒ Matt Black	5	WBQCP2-MB
	☐ Matt White	5	WBQCP2-MW
Cover double socket with extra switch	☐ Gloss White	5	WBQCP2XS
	☒ Matt Black	5	WBQCP2XS-MB
	☐ Matt White	5	WBQCP2XS-MW



WBQCP1



WBQCP2XS-MB

Socket cover plates - vertical

Description	Available colours	Box qty	Cat ref.
Cover single socket	☐ Gloss White	5	WBQCPV1
	☒ Matt Black	5	WBQCPV1-MB
	☐ Matt White	5	WBQCPV1-MW



WBQCPV1

A high-angle, close-up photograph of a modern bedroom corner. A white, rectangular bedside table with a black base is the central focus. On the table sits a stack of books and a small, glowing yellow object. To the right, a potted plant with large, green, glossy leaves hangs over the table. In the foreground, a bed with a brown and white patterned blanket is visible. The background shows a white wall with a light switch and a shelf with more books. The lighting is warm and directional, creating strong shadows and highlights.

allure
authentic,
honest



Colour range



Gloss White



Matt Black (MB)




Matt White (MW)

Features

- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Level to assist installation
- Hinged IP2x caps
- Screw retention



WBHSP1



WBHSP6

Switch plates - no mechanisms


Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBHSP1
	● Matt Black	10	WBHSP1-MB
	○ Matt White	10	WBHSP1-MW
2 gang	○ Gloss White	10	WBHSP2
	● Matt Black	10	WBHSP2-MB
	○ Matt White	10	WBHSP2-MW
3 gang	○ Gloss White	10	WBHSP3
	● Matt Black	10	WBHSP3-MB
	○ Matt White	10	WBHSP3-MW
4 gang	○ Gloss White	10	WBHSP4
	● Matt Black	10	WBHSP4-MB
	○ Matt White	10	WBHSP4-MW
5 gang	○ Gloss White	10	WBHSP5
	● Matt Black	10	WBHSP5-MB
	○ Matt White	10	WBHSP5-MW
6 gang	○ Gloss White	10	WBHSP6
	● Matt Black	10	WBHSP6-MB
	○ Matt White	10	WBHSP6-MW
Blank	○ Gloss White	10	WBHSPB
	● Matt Black	10	WBHSPB-MB
	○ Matt White	10	WBHSPB-MW
Cable entry	○ Gloss White	10	WBHSPCE
	● Matt Black	10	WBHSPCE-MB
	○ Matt White	10	WBHSPCE-MW

Features


- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- High impact, high gloss UV stabilised polycarbonate construction
- For use with non-Hager mechanisms
- Spray matt finishes available in matt white and matt black
- Level to assist installation
- Hinged IP2x caps
- Screw retention

Switch plates - hybrid

Description	Available colours	Box qty	Cat ref.
1 gang	☐ Gloss White	10	WBHHSP1
	☒ Matt Black	10	WBHHSP1-MB
	☐ Matt White	10	WBHHSP1-MW
2 gang	☐ Gloss White	10	WBHHSP2
	☒ Matt Black	10	WBHHSP2-MB
	☐ Matt White	10	WBHHSP2-MW
3 gang	☐ Gloss White	10	WBHHSP3
	☒ Matt Black	10	WBHHSP3-MB
	☐ Matt White	10	WBHHSP3-MW
4 gang	☐ Gloss White	10	WBHHSP4
	☒ Matt Black	10	WBHHSP4-MB
	☐ Matt White	10	WBHHSP4-MW



WBHHSP1



WBHHSP4

Features

- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Level to assist installation
- Spray matt finishes available in matt white and matt black
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable
- Hinged IP2x caps



Switches



WBHSV1-MB

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBHSV1
	● Matt Black	10	WBHSV1-MB
	○ Matt White	10	WBHSV1-MW
2 gang	○ Gloss White	10	WBHSV2
	● Matt Black	10	WBHSV2-MB
	○ Matt White	10	WBHSV2-MW
3 gang	○ Gloss White	5	WBHSV3
	● Matt Black	5	WBHSV3-MB
	○ Matt White	5	WBHSV3-MW
4 gang	○ Gloss White	5	WBHSV4
	● Matt Black	5	WBHSV4-MB
	○ Matt White	5	WBHSV4-MW
5 gang	○ Gloss White	5	WBHSV5
	● Matt Black	5	WBHSV5-MB
	○ Matt White	5	WBHSV5-MW
6 gang	○ Gloss White	5	WBHSV6
	● Matt Black	5	WBHSV6-MB
	○ Matt White	5	WBHSV6-MW



WBHSA2

Switches - architrave

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	5	WBHSA1
	● Matt Black	5	WBHSA1-MB
	○ Matt White	5	WBHSA1-MW
2 gang	○ Gloss White	5	WBHSA2
	● Matt Black	5	WBHSA2-MB
	○ Matt White	5	WBHSA2-MW
3 gang	○ Gloss White	5	WBHSA3
	● Matt Black	5	WBHSA3-MB
	○ Matt White	5	WBHSA3-MW

Features

- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Level to assist installation
- Spray matt finishes available in matt white and matt black
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable
- Hinged IP2x caps



IP44 Switches - vertical


Description	Characteristics	Available colours	Box qty	Cat ref.
1 gang	10A	○ Gloss White	10	WBHWSV1
		● Matt Black	10	WBHWSV1-MB
		○ Matt White	10	WBHWSV1-MW
2 gang	10A	○ Gloss White	10	WBHWSV2
		● Matt Black	10	WBHWSV2-MB
		○ Matt White	10	WBHWSV2-MW
3 gang	10A	○ Gloss White	10	WBHWSV3
		● Matt Black	10	WBHWSV3-MB
		○ Matt White	10	WBHWSV3-MW



WBHWSV1

IP44 Switches - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
1 gang	10A	○ Gloss White	10	WBHWSH1
		● Matt Black	10	WBHWSH1-MB
		○ Matt White	10	WBHWSH1-MW
2 gang	10A	○ Gloss White	10	WBHWSH2
		● Matt Black	10	WBHWSH2-MB
		○ Matt White	10	WBHWSH2-MW
3 gang	10A	○ Gloss White	10	WBHWSH3
		● Matt Black	10	WBHWSH3-MB
		○ Matt White	10	WBHWSH3-MW



WBHWSH1

Switches - cooker switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Double pole - horizontal	40A	○ Gloss White	1	WBHCKSH1
		● Matt Black	1	WBHCKSH1-MB
		○ Matt White	1	WBHCKSH1-MW
	16A	○ Gloss White	1	WBHCKSV1
		● Matt Black	1	WBHCKSV1-MB
		○ Matt White	1	WBHCKSV1-MW



WBHCKSV1



Features

- Removable covers for ease of painting
- Multiple mounting holes
- Terminal screws "backed off"
- Level to assist installation
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with retained tapered point 32mm fixing screws
- Hinged IP2x caps
- Spray matt finishes available in matt white and matt black

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- High impact, high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



WBHP2S



WBHP2S-MB



WBHP2USB-MW



WBHP2SUSBAC-MW

Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	Gloss White	10	WBHP1S
		Matt Black	10	WBHP1S-MB
		Matt White	10	WBHP1S-MW
	10A 'Round Earth'	Gloss White	10	WBHP1R
		Matt Black	10	WBHP1R-MB
		Matt White	10	WBHP1R-MW
	15A	Gloss White	5	WBHP115
		Matt Black	5	WBHP115-MB
		Matt White	5	WBHP115-MW
Double sockets	10A	Gloss White	5	WBHP120
		Matt Black	5	WBHP120-MB
		Matt White	5	WBHP120-MW
	10A	Gloss White	10	WBHP2S
		Matt Black	10	WBHP2S-MB
		Matt White	10	WBHP2S-MW
	10A	Gloss White	5	WBHP2XS
		Matt Black	5	WBHP2XS-MB
		Matt White	5	WBHP2XS-MW
	10A	Gloss White	1	WBHP2USB
		Matt Black	1	WBHP2USB-MB
		Matt White	1	WBHP2USB-MW
	10A	Gloss White	1	WBHP2XSB
		Matt Black	1	WBHP2XSB-MB
		Matt White	1	WBHP2XSB-MW
	10A	Gloss White	5	WBHP2SUSBAC
		Matt Black	5	WBHP2SUSBAC-MB
		Matt White	5	WBHP2SUSBAC-MW



WBHP1V-MB

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
		Gloss White	10	WBHP1V
		Matt Black	10	WBHP1V-MB
		Matt White	10	WBHP1V-MW



WBHA4PP-MB

4 gang Socket cover kit

Description	Characteristics	Available colours	Box qty	Cat ref.
		Gloss White	5	WBHA4PP
		Matt Black	5	WBHA4PP-MB
		Matt White	5	WBHA4PP-MW


Note: 2x allure double sockets (WBHP2S-xx) required (not supplied with kit)

Features


- High impact, high gloss UV stabilised polycarbonate
- Spray matt finishes available in matt white and matt black
- Level to assist installation
- Hinged IP2x caps
- Screw retention

Switch cover plates

Description	Available colours	Box qty	Cat ref.
1 gang	☐ Gloss White	10	WBHCS1
	☒ Matt Black	10	WBHCS1-MB
	☐ Matt White	10	WBHCS1-MW
2 gang	☐ Gloss White	10	WBHCS2
	☒ Matt Black	10	WBHCS2-MB
	☐ Matt White	10	WBHCS2-MW
3 gang	☐ Gloss White	10	WBHCS3
	☒ Matt Black	10	WBHCS3-MB
	☐ Matt White	10	WBHCS3-MW
4 gang	☐ Gloss White	10	WBHCS4
	☒ Matt Black	10	WBHCS4-MB
	☐ Matt White	10	WBHCS4-MW
5 gang	☐ Gloss White	10	WBHCS5
	☒ Matt Black	10	WBHCS5-MB
	☐ Matt White	10	WBHCS5-MW
6 gang	☐ Gloss White	10	WBHCS6
	☒ Matt Black	10	WBHCS6-MB
	☐ Matt White	10	WBHCS6-MW



WBHCS1




WBHCS4-MB

Socket cover plates - horizontal

Description	Available colours	Box qty	Cat ref.
Cover single socket	☐ Gloss White	5	WBHCP1
	☒ Matt Black	5	WBHCP1-MB
	☐ Matt White	5	WBHCP1-MW
Cover double socket	☐ Gloss White	5	WBHCP2
	☒ Matt Black	5	WBHCP2-MB
	☐ Matt White	5	WBHCP2-MW
Cover double socket with extra switch	☐ Gloss White	5	WBHCP2XS
	☒ Matt Black	5	WBHCP2XS-MB
	☐ Matt White	5	WBHCP2XS-MW




WBHCP2-MW



WBHCP2XS-MB

Socket cover plates - vertical

Description	Available colours	Box qty	Cat ref.
Cover single socket	☐ Gloss White	5	WBHCP1V
	☒ Matt Black	5	WBHCP1V-MB
	☐ Matt White	5	WBHCP1V-MW



WBHCP1V-MB



silhouette
**So fine,
just stunning**





Colour range



Gloss White



Matt Black (MB)



Matt White (MW)

Decorative covers



Aluminium (AL)



Stainless Steel (SS)



Features

- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised Polycarbonate construction
- 16AX used as standard mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable



WBSSP4

Switch plates only - no mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSSP1
	Matt Black	10	WBSSP1-MB
	Matt White	10	WBSSP1-MW
2 gang	Gloss White	10	WBSSP2
	Matt Black	10	WBSSP2-MB
	Matt White	10	WBSSP2-MW
3 gang	Gloss White	10	WBSSP3
	Matt Black	10	WBSSP3-MB
	Matt White	10	WBSSP3-MW
4 gang	Gloss White	10	WBSSP4
	Matt Black	10	WBSSP4-MB
	Matt White	10	WBSSP4-MW
5 gang	Gloss White	10	WBSSP5
	Matt Black	10	WBSSP5-MB
	Matt White	10	WBSSP5-MW
6 gang	Gloss White	10	WBSSP6
	Matt Black	10	WBSSP6-MB
	Matt White	10	WBSSP6-MW
Blank	Gloss White	10	WBSSPB



WBSSV1-MW



WBSSV1-MB

Switches

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSSV1
	Matt Black	10	WBSSV1-MB
	Matt White	10	WBSSV1-MW
2 gang	Gloss White	10	WBSSV2
	Matt Black	10	WBSSV2-MB
	Matt White	10	WBSSV2-MW
3 gang	Gloss White	5	WBSSV3
	Matt Black	5	WBSSV3-MB
	Matt White	5	WBSSV3-MW
4 gang	Gloss White	5	WBSSV4
	Matt Black	5	WBSSV4-MB
	Matt White	5	WBSSV4-MW
5 gang	Gloss White	5	WBSSV5
	Matt Black	5	WBSSV5-MB
	Matt White	5	WBSSV5-MW
6 gang	Gloss White	5	WBSSV6
	Matt Black	5	WBSSV6-MB
	Matt White	5	WBSSV6-MW

Features

- Removable covers for ease of painting
- Transparent blue mounting grid for easy installation
- Multiple mounting holes

- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanism
- High impact, high gloss UV stabilised polycarbonate construction

- Terminals accommodate 4 x 2.5mm² cable



Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	☐ Gloss White	10	WBSP1S
		☒ Matt Black	10	WBSP1S-MB
		☐ Matt White	10	WBSP1S-MW
	10A 'Round Earth'	☐ Gloss White	10	WBSP1R
		☒ Matt Black	10	WBSP1R-MB
	15A	☐ Gloss White	5	WBSP115S
		☒ Matt Black	5	WBSP115S-MB
		☐ Matt White	5	WBSP115S-MW
Double sockets	10A	☐ Gloss White	10	WBSP2S
		☒ Matt Black	10	WBSP2S-MB
		☐ Matt White	10	WBSP2S-MW
Double socket with extra switch	10A	☐ Gloss White	10	WBSP2XS
		☒ Matt Black	10	WBSP2XS-MB
		☐ Matt White	10	WBSP2XS-MW
Double socket with 2 x 2.1A USB	10A	☐ Gloss White	1	WBSP2SUSB
		☒ Matt Black	1	WBSP2SUSB-MB
		☐ Matt White	1	WBSP2SUSB-MW
Double sockets with USB Type A and Type C	10A	☐ Gloss White	1	WBSP2SUSBAC
		☒ Matt Black	1	WBSP2SUSBAC-MB
		☐ Matt White	1	WBSP2SUSBAC-MW



WBSP2S



WBSP2S-MB

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	☐ Gloss White	5	WBSP1VS
		☒ Matt Black	5	WBSP1VS-MB
		☐ Matt White	5	WBSP1VS-MW



WBSP1VS

Electronic push button switches

Description	Available colours	Box qty	Cat ref.
1 gang	☐ Gloss White	1	WBSEV1
2 gang	☐ Gloss White	1	WBSEV2
3 gang	☐ Gloss White	1	WBSEV3
4 gang	☐ Gloss White	1	WBSEV4
5 gang	☐ Gloss White	1	WBSEV5
6 gang	☐ Gloss White	1	WBSEV6



WBSEV2

Switches - cooker switch


Description	Available colours	Box qty	Cat ref.
1 gang	☐ Gloss White	1	WBCKSV1
	☒ Matt Black	1	WBCKSV1-MB
	☐ Matt White	1	WBCKSV1-MW



WBCKSV1

Features

- High impact, high gloss UV stabilised polycarbonate, real aluminium or real stainless steel construction.
- Matt black, gloss white or clear anodized aluminium or brushed stainless steel finish to reduce finger printing.



WBSCV1-MB



WBSCV2-AL

Switch cover plates

Description	Available colours	Cat ref.
1 gang	☐ Gloss White	WBSCV1
	☒ Matt Black	WBSCV1-MB
	☐ Matt White	WBSCV1-MW
	☐ Aluminium	WBSCV1-AL
	☐ Stainless Steel	WBSCV1-SS
2 gang	☐ Gloss White	WBSCV2
	☒ Matt Black	WBSCV2-MB
	☐ Matt White	WBSCV2-MW
	☐ Aluminium	WBSCV2-AL
	☐ Stainless Steel	WBSCV2-SS
3 gang	☐ Gloss White	WBSCV3
	☒ Matt Black	WBSCV3-MB
	☐ Matt White	WBSCV3-MW
	☐ Aluminium	WBSCV3-AL
	☐ Stainless Steel	WBSCV3-SS
4 gang	☐ Gloss White	WBSCV4
	☒ Matt Black	WBSCV4-MB
	☐ Matt White	WBSCV4-MW
	☐ Aluminium	WBSCV4-AL
	☐ Stainless Steel	WBSCV4-SS
5 gang	☐ Gloss White	WBSCV5
	☒ Matt Black	WBSCV5-MB
	☐ Matt White	WBSCV5-MW
	☐ Aluminium	WBSCV5-AL
	☐ Stainless Steel	WBSCV5-SS
6 gang	☐ Gloss White	WBSCV6
	☒ Matt Black	WBSCV6-MB
	☐ Matt White	WBSCV6-MW
	☐ Aluminium	WBSCV6-AL
	☐ Stainless Steel	WBSCV6-SS
Blank	☒ Matt Black	WBSCPB-MB
	☐ Matt White	WBSCPB-MW
Special Application Plate Suits WBSSEA2	☐ Aluminium	WBSCSEA2-AL
	☐ Stainless Steel	WBSCSEA2-SS

Features

- High impact, high gloss UV stabilised polycarbonate
- Spray matt finishes available in matt white and matt black
- Screw retention

Socket cover plates - horizontal

Description	Available colours	Cat ref.
Cover single socket	☐ Gloss White	WBSCP1
	☒ Matt Black	WBSCP1-MB
	☐ Matt White	WBSCP1-MW
	☐ Aluminium	WBSCP1-AL
	☐ Stainless Steel	WBSCP1-SS
Cover double socket	☐ Gloss White	WBSCP2
	☒ Matt Black	WBSCP2-MB
	☐ Matt White	WBSCP2-MW
	☐ Aluminium	WBSCP2-AL
	☐ Stainless Steel	WBSCP2-SS
Cover double socket with extra switch	☐ Gloss White	WBSCP2X
	☒ Matt Black	WBSCP2X-MB
	☐ Matt White	WBSCP2X-MW
	☐ Aluminium	WBSCP2X-AL
	☐ Stainless Steel	WBSCP2X-SS



WBSCP2-SS



WBSCP2X-MB

Socket cover plates - vertical


Description	Available colours	Cat ref.
Cover single socket	☐ Gloss White	WBSVCP1
	☒ Matt Black	WBSVCP1-MB
	☐ Aluminium	WBSVCP1-AL
	☐ Stainless Steel	WBSVCP1-SS



WBSVCP1-AL

premiere

Surround your home in style





Colour range




Gloss White



Black (BK)

Features

- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Removable surrounds for ease of painting



WBSP1



WBSP2-BK

Switch plates only - no mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBSP1
	● Black	10	WBSP1-BK
2 gang	○ Gloss White	10	WBSP2
	● Black	10	WBSP2-BK
3 gang	○ Gloss White	10	WBSP3
	● Black	10	WBSP3-BK
4 gang	○ Gloss White	10	WBSP4
	● Black	10	WBSP4-BK
5 gang	○ Gloss White	10	WBSP5
	● Black	10	WBSP5-BK
6 gang	○ Gloss White	10	WBSP6
	● Black	10	WBSP6-BK
Blank	○ Gloss White	10	WBSPB

Features

- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Removable surrounds for ease of painting
- Rocker features in-built arc shield and chemical resistant pivots
- All plates fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable



Large plate switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBSV1
	● Black	10	WBSV1-BK
2 gang	○ Gloss White	10	WBSV2
	● Black	10	WBSV2-BK
3 gang	○ Gloss White	5	WBSV3
	● Black	5	WBSV3-BK
4 gang	○ Gloss White	5	WBSV4
	● Black	5	WBSV4-BK
5 gang	○ Gloss White	5	WBSV5
	● Black	5	WBSV5-BK
6 gang	○ Gloss White	5	WBSV6
	● Black	5	WBSV6-BK



WBSV1-BK

Large plate switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBSH1
2 gang	○ Gloss White	10	WBSH2
3 gang	○ Gloss White	5	WBSH3



WBSH2

Architrave switches features

- Supplied with both a premiere and a visage cover for your choice
- Common cover and mounting centres
- Supplied with 12mm tapered point fixing screws

Fan controller features

- Fan knobs cannot be removed once installed

Card entry features

- Micro switch controlled
- Supplied with card

Shaver outlet features

- 240V and 115V multi-pin outlets



WBSA1-BK

Architrave switches

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	10	WBSA1
	● Black	10	WBSA1-BK
2 gang	○ Gloss White	10	WBSA2
	● Black	10	WBSA2-BK
3 gang	○ Gloss White	5	WBSA3
	● Black	5	WBSA3-BK



WBSF3

Other products

Description	Available colours	Box qty	Cat ref.
Fan controller 3 speed capacitance 250V 75A	○ Gloss White	1	WBSF3
	● Black	1	WBSF3-BK
TV plate - PAL 75 OHM	○ Gloss White	10	WBTV75
TV plate - 'F' to 'F' pay TV	○ Gloss White	10	WBTV75PY
International shaver outlet	○ Gloss White	1	WBHS
Permanent connection plate	○ Gloss White	5	WBPPCU



WBHS

Features

- Removable surrounds for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm fixing screws
- High impact, high gloss UV stabilised polycarbonate

IP66 features

- 16A rated mechanism
- 2 way as standard
- Loop terminal as standard
- Terminals take 4 x 1.5mm² cable
- All IP66 switches can be mounted onto the WBBMI for surface mounting

- Designed to ensure IP66 when installed on suitable flat, smooth, non water absorbent surfaces
- Factory sealed IP tested gaskets
- IP rating maintained with sealing plugs in place



IP66 large plate switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	1	WBWSV1
	● Black	1	WBWSV1-BK
2 gang	○ Gloss White	1	WBWSV2
	● Black	1	WBWSV2-BK
3 gang	○ Gloss White	1	WBWSV3
	● Black	1	WBWSV3-BK
4 gang	○ Gloss White	1	WBWSV4
	● Black	1	WBWSV4-BK
3 gang with Light/Fan/Heat printed mechs	○ Gloss White	1	WBWSV3LFH
	● Black	1	WBWSV3LFH-BK
4 gang with Light/Fan/Heat/Heat printed mechs	○ Gloss White	1	WBWSV4LFHH
	● Black	1	WBWSV4LFHH-BK



WBWSV3LFH



WBWSV4LFHH-BK

IP66 large plate switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	○ Gloss White	1	WBWSH1
	● Black	1	WBWSH1-BK
2 gang	○ Gloss White	1	WBWSH2
	● Black	1	WBWSH2-BK
3 gang	○ Gloss White	1	WBWSH3
	● Black	1	WBWSH3-BK
4 gang	○ Gloss White	1	WBWSH4
	● Black	1	WBWSH4-BK
3 gang with Light/Fan/Heat printed mechs	○ Gloss White	1	WBWSH3LFH
	● Black	1	WBWSH3LFH-BK
4 gang with Light/Fan/Heat/Heat printed mechs	○ Gloss White	1	WBWSH4LFHH
	● Black	1	WBWSH4LFHH-BK



WBWSH3LFH



WBWSH4LFHH-BK

Features

- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- High impact, high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



WBP1S



WBP115S-BK

Single Sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	○ Gloss White	10	WBP1S
	● Black	10	WBP1S-BK
15A	○ Gloss White	5	WBP115S
	● Black	5	WBP115S-BK
20A	○ Gloss White	5	WBP120
10A double pole	○ Gloss White	10	WBP1DS
15A	○ Gloss White	5	WBP115DS
10A with extra switch	○ Gloss White	5	WBP1XS
	● Black	5	WBP1XS-BK
10A with 2 extra switches	○ Gloss White	5	WBP1XXS
	● Black	5	WBP1XXS-BK
10A with round earth pin	○ Gloss White	5	WBP1R
	● Black	5	WBP1R-BK



WBP1VS



WBP1VXS-BK

Single sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	○ Gloss White	5	WBP1VS
	● Black	5	WBP1VS-BK
	● Red	5	WBP1VS-RD
15A	○ Gloss White	5	WBP115VS
	● Black	5	WBP115VS-BK
10A with extra switch	○ Gloss White	5	WBP1VXS
	● Black	5	WBP1VXS-BK
10A with 2 extra switches	○ Gloss White	5	WBP1VXXS
	● Black	5	WBP1VXXS-BK

Features

- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws
- 4 outlet sockets have same mounting centres as double socket outlets.

Technical data

- All sockets 250V 50Hz rated with 16AX mechanisms
- Extra switch models fitted with 16AX mechanisms
- High impact high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



Double sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	○ Gloss White	10	WBP2S
	● Black	10	WBP2S-BK
	● Red	10	WBP2S-RD
10A double pole	○ Gloss White	10	WBP2DS
10A with extra switch	○ White	5	WBP2XS
	● Black	5	WBP2XS-BK
10A with circuit id	○ Gloss White	10	WBP2CID
	● Black	10	WBP2CID-BK
10A with 2 x 2.1A USB	○ Gloss White	10	WBP2SUSB
	● Black	10	WBP2SUSB-BK



WBP2S



WBP2SUSB-BK

Double sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	○ Gloss White	10	WBP2VS
	● Black	10	WBP2VS-BK
10A with extra switch	○ Gloss White	5	WBP2VXS
	● Black	5	WBP2VXS-BK



WBP2VS

4 outlet sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	○ Gloss White	4	WBP4S
	● Black	4	WBP4S-BK
10A with extra switch	○ Gloss White	4	WBP4XS
	● Black	4	WBP4XS-BK



WBP4S



WBP4XS

Features

- Surrounds to fit to premiere range
- Easily removable for cleaning
- Manufactured from tempered glass, slate or polycarbonate



WBC2V

Standard polycarbonate surrounds




Description	Available colours	Box qty	Cat ref.
Single product surround	○ Gloss White	10	WBC1Z
	● Black	10	WBC1Z-BK
2 product vertical surround	○ Gloss White	10	WBC2V
	● Black	10	WBC2V-BK
2 product horizontal surround	○ Gloss White	10	WBC2H
	● Black	10	WBC2H-BK

The IP rating for all low voltage enclosures up to 1000 V a.c. and 1500 V d.c. is defined in identical fashion by the standards EN 60529 - IEC 529. It comprises the letters IP followed by two character numerals and or additional/supplementary letters. The first character numeral indicates

the degree of protection provided by the enclosure against access to hazardous parts by preventing or limiting the ingress of a part of the human body or an object held by a person and ingress of solid foreign objects.

The second character numeral indicates the degree of protection provided by the enclosure with respect to harmful effects on the equipment due to the ingress of water. An X signifies that the tests are not applicable to the product.

The first character numeral:
Protection against foreign objects

IP	Description	
0		Non-protected
1		Protected against solid objects $\geq$ than 50mm
2		Protected against solid objects $\geq$ than 12.5mm
3		Protected against solid objects $\geq$ than 2.5mm
4		Protected against solid objects $\geq$ than 1.0mm
5		Dust-protected
6		Dust-tight

The second character numeral:
Protection against ingress of water with harmful effects

IP	Description	
0		Non-protected
1		Protected against vertically falling water drops
2		Protected against vertically falling water drops when enclosure tilted up to 15°
3		Protected against spraying water
4		Protected against splashing water
5		Protected against water jets
6		Protected against powerful water jets
7		Protected against the effect of temporary immersion in water
8		Protected against continuous immersion in water

Additional letter (in option)

Protection of people against access to hazardous parts

	Description
A	Protected against access to hazardous parts with the back of the hand
B	Protected against access to hazardous parts with a finger
C	Protected against access to hazardous parts with a tool - $\varnothing$ 2.5mm
D	Protected against access to hazardous parts with a wire - $\varnothing$ 1mm

Additional letter (in option)

Specific information on the product

	Description
H	High voltage apparatus
M	Motion during water test
S	Stationary during water test
W	Weather conditions

Complete the picture



Modules, mechanisms and accessories

Special application modules	42
Electronic push button switches and dimmers	43
250V mechanisms	44
250V printed mechanisms	45
Rotary mechanisms	46
TV, data and audio mechanisms	47
Special mechanisms	48
Accessories	49

Features

- Motion detector, LED Night light and HDMI modules can be easily mounted into any of the 'SEA2' plates

- The motion detector can be set to slave for multiple detection for one load
- The LED night light Lux can be adjusted on the unit to

- reduce the light output
- The HDMI connection can be used in conjunction with HD TV and Audio devices



WXF051

Motion detector modules

Description	Available colours	Box qty	Cat ref.
Motion detector (PIR) 3 wires	○ Gloss White	1	WXF051



WBSSEA2

silhouette module plates


Description	Available colours	Box qty	Cat ref.
silhouette plate	○ Gloss White	10	WBSSEA2



WBHSEA2

allure module plates

Description	Available colours	Box qty	Cat ref.
2 module	○ Gloss White	10	WBHSEA2
	● Matt Black	10	WBHSEA2-MB
	○ Matt White	10	WBHSEA2-MW
3 module	○ Gloss White	10	WBHSEA3
	● Matt Black	10	WBHSEA3-MB
	○ Matt White	10	WBHSEA3-MW



WBQSEA2

finesse module plates

Description	Available colours	Box qty	Cat ref.
2 module plate	○ Gloss White	10	WBQSEA2
	● Matt Black	10	WBQSEA2-MB
3 module plate	○ Gloss White	10	WBQSEA3
	● Matt Black	10	WBQSEA3-MB

Electronic Push Button Switch features:

- Programmable LED indication colour - blue or orange
- Slave push button switch available

- All electronic mechanisms are EMC compliant

- Most supplied with gloss white, black, matt white and matt black front caps
- Dimmer can be programmed to set minimum dim level



Electronic push button switch mechanism

Description	Available colours	Box qty	Cat ref.
230/240V AC 1200W	○ Gloss White Complete with BK, MB, and MW interchangeable coloured caps	5	WBME5A



WBME5A

Electronic push button universal dimmer mechanism

Description	Available colours	Box qty	Cat ref.
230/240V AC - 250W (70W LED, 120W ceiling fans) Suitable for fan control	○ Gloss White Complete with BK, MB, and MW interchangeable coloured caps	5	WBMD400UPB



WBMD400UPB

Electronic universal rotary dimmer mechanism

Description	Available colours	Box qty	Cat ref.
230/240V AC - 250W (70W LED)	○ Gloss White	5	WBMD400U



WBMD400U

Electronic push button slave mechanism

Description	Available colours	Box qty	Cat ref.
To be used only in conjunction with either WBM400UPB or WBMD400U or WBME5A. No LED on slave	○ Gloss White Complete with BK, MB, and MW interchangeable coloured caps	5	WBMESL



WBMESL

Dimmer mechanisms

Description	Available colours	Box qty	Cat ref.
250V - 10W - 120W dimmer, (LED)	○ Gloss White	5	WBMD400LED
250V - 40VA - 400VA dimmer, (Trailing edge)	○ Gloss White	5	WBMD400TO



WBMD400LED

Dimmer knobs

Description	Available colours	Box qty	Cat ref.
Dimmer knob for WBMD400LED	○ Gloss White	5	WBADK
	● Black	10	WBADK-BK
	○ Matt White	10	WBADK-MW
	● Matt Black	10	WBADK-MB
Electronic dimmer knob for WBMD400U	● Matt Black	10	WBAERK-MB
	○ Matt White	50	WBAERK-MW



WBADK



WBAERK-MB

Accessories

Description	Available colours	Cat ref.
Electronic Slave PB CAP	○ Matt White	WBACAP-MW
Electronic PB Switch CAP	○ Matt White	WBACAPL-MW
Electronic PB Dimmer	○ Matt White	WBACAPD-MW



WBACAPL-MW

Features

- Easy mechanism removal
- Rear housing colour coded for easy recognition of mechanism type
- All terminal screws are combination head Phillips No. 1 and backed off

Technical data:

- 3mm contact gap in WBM16AX
- All 250V mechanism's have M60 motor rating
- 32A and 20AX mechanism 'socket size' terminal accommodates 2 x 4mm² cables
- Intermediate and double pole have 75% of terminal screws accessible from 1 direction
- 10A, 16AX and 20A terminals accommodate 4 x 1.5mm² cables
- Push mech rated at 10A



WBMPB

250V mechanisms

Description	Available colours	Box qty	Cat ref.
LED for push button	○ Blue	5	WBAPBLED
10A flush push button	○ Gloss White	5	WBMPB
	● Matt Black	5	WBMPB-MB
	○ Matt White	5	WBMPB-MW
10A flush push button tactile mech	○ Gloss White	5	WBMTPB
	● Matt Black	5	WBMTPB-MB
	○ Matt White	5	WBMTPB-MW



WBM16AX
Standard Mechanism

250V mechanisms

Description	Available colours	Box qty	Cat ref.
16A AX rated STANDARD	○ Gloss White	5	WBM16AX
	● Black	5	WBM16AX-BK
	○ Matt White	5	WBM16AX-MW
	● Matt Black	5	WBM16AX-MB
	● Red	5	WBM16AX-RD
20A Standard	○ Gloss White	5	WBM20
	● Black	5	WBM20-BK
	○ Matt White	5	WBM20-MW
	● Matt Black	5	WBM20-MB
16A AX rated with lens	○ Gloss White	5	WBM16AXL
	● Black	5	WBM16AXL-BK
16A AX rated with neon light	○ Gloss White	5	WBM16AXN
10A double pole	○ Gloss White	5	WBM10D
	● Black	5	WBM10D-BK
	○ Matt White	5	WBM10D-MW
	● Matt Black	5	WBM10D-MB
10A intermediate	○ Gloss White	5	WBM10I
	● Black	5	WBM10I-BK
	○ Matt White	5	WBM10I-MW
	● Matt Black	5	WBM10I-MB
20A AX rated 1 way only	○ Gloss White	5	WBM20AX
	● Black	5	WBM20AX-BK
	○ Matt White	5	WBM20AX-MW
	● Matt Black	5	WBM20AX-MB
32A 1 way only	○ Gloss White	5	WBM32
	● Black	5	WBM32-BK
	○ Matt White	5	WBM32-MW
	● Matt Black	5	WBM32-MB
15A press	○ Gloss White	5	WBM15P
	○ Matt White	5	WBM15P-MW
	● Matt Black	5	WBM15P-MB
15A without printed "PRESS"	○ Gloss White	5	WBM15PB
	○ Matt White	5	WBM15PB-MW
	● Matt Black	5	WBM15PB-MB



WBM16AXL



WBM16AXN



WBM10D-MB



WBM10I-MB



WBM15P-MB

Features

- Easy mechanism removal
- Rear housing colour coded for easy recognition of mechanism type
- All terminal screws are combination head Phillips No. 1 and backed off

Technical data:

- 3mm contact gap in WBM16AX
- All 250V mechanism's have M60 motor rating
- 32A and 20AX mechanism 'socket size' terminal accommodates 2 x 4mm² cables
- Intermediate and double pole have 75% of terminal screws accessible from 1 direction
- 10A, 16AX and 20A terminals accommodate 4 x 1.5mm² cables
- Push mech rated at 10A



250V printed mechanisms

Description	Available colours	Box qty	Cat ref.
'LIGHT' 16A AX 2 way	○ Gloss White	5	WBM16L
	● Black	5	WBM16L-BK
	○ Matt White	5	WBM16L-MW
	● Matt Black	5	WBM16L-MB
'FAN' 20A 1 way	○ Gloss White	5	WBM20F
	● Black	5	WBM20F-BK
	○ Matt White	5	WBM20F-MW
	● Matt Black	5	WBM20F-MB
'HEAT' 20A 1 way	○ Gloss White	5	WBM20H
	● Black	5	WBM20H-BK
	○ Matt White	5	WBM20H-MW
	● Matt Black	5	WBM20H-MB
'HOT WATER' 20A 1 way	○ Gloss White	5	WBM20HW
'HOT WATER' 32A 1 way	● Matt Black	5	WBM32HW-MB
	○ Matt White	5	WBM32HW-MW
'SENSOR' 20A 1 way	○ Gloss White	5	WBM20SN
'HOB' 32A 1 way	○ Gloss White	5	WBM32HO
	● Black	5	WBM32HO-BK
	○ Matt White	5	WBM32HO-MW
	● Matt Black	5	WBM32H-MB
'OVEN' 32A 1 way	○ Gloss White	5	WBM32O
	● Black	5	WBM32O-BK
	○ Matt White	5	WBM32O-MW
	● Matt Black	5	WBM32O-MB
'RANGE' 32A 1 way	○ Gloss White	5	WBM32R
	● Black	5	WBM32R-BK
	○ Matt White	5	WBM32R-MW
	● Matt Black	5	WBM32R-MB

*Other printing available on request



WBM16L



WBM20F



WBM20H



WBM32HO



WBM32O



Features

- Easy mechanism removal
- By standard 5mm flat blade screwdriver
- By Hager mechanism removal tool (WBMS)
- By standard electricians pliers
- Rear housing colour coded for easy recognition of mechanism type

- All terminal screws are combination head Phillips No. 1 and backed off

Technical data:

- In built arc shield on rocker and chemical resistant pivots
- 3mm contact gap in WBM16AX
- All 250V mechanism's have motor rating

- 32A and 20AX mechanism 'socket size' terminal accommodates 2 x 4mm² cables
- Intermediate and double pole have 75% of terminal screws accessible from 1 direction
- 10A, 16AX and 20A terminals accommodate 4 x 1.5mm² cables



WBM10R3



WBARK

250V rotary mechanisms

Description	Available colours	Box qty	Cat ref.
10A 3 position rotary	○ Gloss White	10	WBM10R3
10A 3 pos. rotary - w/ capacitor (fan)	● Matt Black	10	WBMSF3-MB
	○ Matt White	10	WBMSF3-MW
10A 3 pos. rotary - Auto/Manual	○ Gloss White	10	WBM10RAM
10A 3 pos. rotary - Lo/Hi	○ Gloss White	10	WBM10RLH
10A 3 pos. rotary - Sensor	○ Gloss White	10	WBM10RSN
10A 3 pos. rotary - Up/Down	○ Gloss White	10	WBM10RUD
Rotary Knob to suit rotary mechs	○ Gloss White	10	WBARK1
	● Black	10	WBARK1-BK
	○ Matt White	10	WBARK1-MW
	● Matt Black	10	WBARK1-MB

Roto-loc Data Mechanisms

- Data Mechs are tested and approved to the following standards where relevant:

ANSI/TIA-568-C.2-2009
ISO/IEC 11801-1
IEC 60603-7-2
AS/CA S008:2015I

Audio connectors

- RCA jacks have 'F' connection at rear
- Available in multiple colours for maximum installation flexibility
- Speaker connectors suitable for both bare wire termination and banana plugs



TV mechanisms

Description	Available colours	Box qty	Cat ref.
'F' to PAL type mechanism	○ Gloss White	10	WBMTV75PF
	● Black	10	WBMTV75PF-BK
	○ Matt White	10	WBMTV75PF-MW
	● Matt Black	10	WBMTV75PF-MB
TV socket mechanism 3GHz 75Ohm Foxtel approved	○ Gloss White	10	WBMTV75PY
	● Black	10	WBMTV75PY-BK
	○ Matt White	10	WBMTV75PY-MW
	● Matt Black	10	WBMTV75PY-MB



WBMTV75PF



WBMTV75PY-MB

Data mechanisms

Description	Available colours	Box qty	Cat ref.
8 Pin Cat5e	○ Gloss White	10	WBMCAT5
8 Pin Cat6	○ Gloss White	10	WBMCAT6
	● Black	10	WBMCAT6-BK
	○ Matt White	10	WBMCAT6-MW
	● Matt Black	10	WBMCAT6-MB
8 Pin Cat6A	○ Gloss White	10	WBMCAT6A



WBMCAT6-MW



WBMCAT6A

Audio connectors

Description	Available colours	Box qty	Cat ref.
M/M HDMI pass through	○ Gloss White	5	WBMHDMI
	● Matt Black	5	WBMHDMI-MB
	○ Matt White	5	WBMHDMI-MW



WBMHDMI

Circuit ID features:

- Circuit ID cannot be removed from front of plate once installed

Technical data:

- Cord grip mechanism will accept light and heavy duty flexible cables
- Circuit ID labels supplied in sheets of 10, A4 size.



WBMCID




WBMBP



WBMLVT



WBMLVTN



WBM250NRD



WBMUSB

Special mechanisms

Description	Available colours	Box qty	Cat ref.
Cord grip mechanism	○ Gloss White	5	WBMPCU
Circuit ID mechanism	○ Gloss White	5	WBMCID
Circuit ID labels 1 pack contains 10 sheets, with 135 labels per sheet	○ Gloss White	1	WBMCIDL
Blank mechanism	○ Gloss White	5	WBMBP
	● Black	5	WBMBP-BK
ELV tactile mechanism extra low voltage tactile switch momentary contact - 29Vdc/50mA	○ Gloss White	5	WBMLVT
	● Black	5	WBMLVT-BK
	○ Matt White	5	WBMLVT-MW
ELV tactile mechanism + neon extra low voltage tactile switch with LED indication momentary contact - 29Vdc/50mA	○ Gloss White	5	WBMLVTN
	● Black	5	WBMLVTN-BK
	○ Matt White	5	WBMLVTN-MW
	● Matt Black	5	WBMLVTN-MB
Neon lights	250V Neon – red	5	WBM250NRD
	250V Neon – amber	5	WBM250NAM
	250V Neon – green	5	WBM250NGR
	250V Neon – clear	5	WBM250NCL
USB Mechanism 2 x 2.1A TYPE A.	○ Gloss White	1	WBMUSB
	● Black	1	WBMUSB-BK
	○ Matt White	1	WBMUSB-MW
	● Matt Black	1	WBMUSB-MB
USB Mechanism 1 x TYPE A 1 x TYPE C	○ Gloss White	1	WBMUSBAC
	● Black	1	WBMUSBAC-BK
	○ Matt White	1	WBMUSBAC-MW
	● Matt Black	1	WBMUSBAC-MB

Mounting block features:

- High Impact UV stabilised polycarbonate
- Compatible with all large plate switches and sockets

Surface sockets features:

- Safety shroud for extra security and safety.
- Can be tested when fitted to mounting plate

Mounting accessories

Description	Available colours	Box qty	Cat ref.
silhouette mounting block 32mm deep	○ Gloss White	5	WBSBMD
	● Matt Black	5	WBSDMD-MB
allure mounting block	○ Gloss White	5	WBHMBD
	● Matt Black	5	WBHMBD-MB
finesse mounting block 84mm interaxe	○ Gloss White	5	WBQMBD
	● Matt Black	5	WBQMBD-MB
premiere mounting block 32mm deep	○ Gloss White	5	WBBMD
	● Matt Black	5	WBBMD-BK
premiere mounting block 18mm deep	○ Gloss White	5	WBBMS
premiere mounting block to suit 4 gang outlet	○ Gloss White	4	WBBM4
Insulated back to suit 4 gang mounting block	○ Gloss White	8	WBBM4BP
premiere insulated mounting block 32mm deep IP66 rated	○ Gloss White	10	WBBMI
	● Black	10	WBBMI-BK
premiere surface mounting kit 29mm deep suits premiere plates only	○ Gloss White	5	WBBSMK
	● Black	5	WBBSMK-BK
Wall box 1 gang moulded plastic		10	WBBWB



WBSBMD



WBBMD



WBBMI

Surface sockets

Description	Characteristics	Available colours	Box qty	Cat ref.
Single surface sockets	10A	○ Gloss White	10	WBAP1
	15A	○ Gloss White	10	WBAP115
with round earth pin	10A	○ Gloss White	10	WBAP1R
Replacement mounting plate			30	WBAP1MP



WBAP1

Junction box features

- Include quickfix screws and terminal connectors

Shrouds and covers

- Shroud for insulating live parts
- Reusable paint cover free

Miscellaneous

- Mounting screws zinc plated
- WBMS and WBAPC free issue, contact your local Hager representative



WBAJB4S

Junction boxes

Description	Available colours	Cat ref.
Giant junction box with quickfix screws and 4 cable connectors	☐ Gloss White	WBAJB4
Standard junction box with quick fix screws and 3 cable connectors	☐ Gloss White	WBAJB4S



WBBS2

Shrouds and covers

Description	Cat ref.
Insulating shroud size 2 suits premiere products	WBBS2
Paint cover suits premiere products	WBAPC



WBASC50

Miscellaneous

Description	Cat ref.
M3.5 X 50mm long pan head tapered point mounting screw 50 screws per box	WBASC50
Mechanism removal tool	WBMS
Screw connectors - single	WBAC1B
Screw connectors - twin	WBAC2B



WBAC2B

**Scan code for
a digital copy
of the brochure**





Hager Electro Pty Ltd
Unit 17/2-8 South Street
Rydalmere NSW 2116

Phone: 1300 850 253
Fax: 1300 424 372
customerservice@hagerelectro.com.au
hagerelectro.com.au

DISCLAIMER: Whilst every effort has been made to ensure the reliability of the information is correct at time of publication, Hager cannot guarantee the accuracy of all of the information contained herein. Changes/updates brought to the attention of Hager, once verified, will be corrected in future editions.