COMO™

SMART, CUSTOMISABLE SOLUTIONS FOR INDEPENDENT LIVING

CATALOGUE PAGES INSIDE

PRODUCT AND SYSTEMS
FOR ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES

legrand®

PURPOSE BUILT TO ENHANCE QUALITY OF LIFE

CM910/1HLNWE

Flexible and modular, Como makes everyday actions easier, enabling increased independence and comfort

Como's styling is contemporary and distinctive, with wiring accessories that are easy to see and use.

Featuring a generous switch surface area and smooth switching action, Como is ideal for everything from senior and assisted living to recreation clubs and modern homes.

CM400THWE

The range offers a suite of switches, powerpoints, dimmers, fan controllers, AV sockets, USB charger and installation accessories.

CM777WE

Whatever your specific needs may be, Como can be customised to meet them

INTEGRATE ADVANCED FUNCTIONS FOR SMART LIVING

Integrate advanced electronic functions into Como, enabling an even stronger independent living offer.
Electronic functions include: no touch switches, skirting lights, movement sensors, USB chargers and emergency safety lighting.

No Touch Switches are activated by waving a hand within 5cm of the switch plate, making it perfect for people with limited hand flexibility. No Touch switches can also be used for auxiliary switching with water taps, doors and other applications.
(Image shown: Cat No.: 572051 + CMAR2MSF + CM910PLWE)

Skirting lights can be customised to offer permanent or movement activated light. Ideal for creating a light path at night to improve visibility and prevent falls.
(Image shown: Cat No.: 572221 + CMAR2MSF + CM910PLWE)

Automatic switches allow lighting to be switched on and off when movement is detected in an area. An ideal hands free solution for a range of spaces.
(Image shown: Cat No.: 572053 + CMAR2MSF + CM910PLWE)

USB Charging module offers a market-leading 2 x 2.4A charging capacity, the fastest available. Charge everything from tablets and phones to fitness bands at their maximum charging speeds. Add them to kitchens, bedrooms, lounge rooms and home offices.
(Image shown: Cat No.: AR770USB2PSAMWE + CMM910/770AWE + CMAR2MSF + CM910PLWE)

Emergency safety lighting. The miniature emergency lighting unit illuminates automatically during a power failure. It can also be detached from the wall to become a hand held torch.
(Image shown: Cat No.: 572222 + CMAR2MSF + CM910PLWE)

Switches

CM910/1HLNWE

CM920/2HWE

CM920/3HWE

CM910/1WE

CM940/4WE

Switches 10A - 230-240Va.c.

Plate size 116 x 72mm
mounting centres 84mm

Horizontal switches

Pack	Cat No.	
10	CM910/1HLWE	1 gang large switch, 10A, white
10	CM910/1HRDLWE	1 gang large switch with red line, 10A, white
10	CM910/1HLNWE	1 gang large switch with red LED, 10A, white
10	CM910/1IMHLWE	1 gang intermediate large switch, 10A, white
10	CM910/1HWE	1 gang switch, 10A, white
10	CM910/1HRDWE	1 gang switch with red line, 10A, white
10	CM910/1HNWE	1 gang switch with red LED, 10A, white
10	CM910/1IMHWE	1 gang intermediate switch, 10A, white
10	CM910/1IMHRDWE	1 gang intermediate switch with red line, 10A, white
10	CM910/15HNWE	1 gang switch with red LED, 15A, white
10	CM910/35HWE	1 gang switch, 35A, white
10	CM920/2HWE	2 gang switch, 10A, white
10	CM920/2HRDWE	2 gang switch with red line, 10A, white
10	CM920/2HNWE	2 gang switch with red LED, 10A, white
10	CM920/3HWE	3 gang switch, 10A, white
10	CM920/3HRDWE	3 gang switch with red line, 10A, white
10	CM920/3HNWE	3 gang switch with red LED, 10A, white

Switches 10A - 230-240Va.c.

Single - plate size 116 x 72mm
Double - plates size 116mm square
mounting centres 84mm

Vertical switches

Pack	Cat No.	
10	CM910/1WE	1 gang switch, 10A, white
10	CM910/1RDWE	1 gang switch with red line, 10A, white
10	CM910/1NWE	1 gang large switch with red LED, 10A, white
10	CM910/1IMWE	1 gang intermediate switch, 10A, white
10	CM910/15WE	1 gang switch, 15A, white
10	CM910/15NWE	1 gang switch with red LED, 15A, white
10	CM910/35WE	1 gang switch, 35A, white
10	CM910/35RDWE	1 gang switch with red line, 35A, white
10	CM910XWE	1 gang push button, 10A, white, engraved “PRESS”
10	CM920/2WE	2 gang switch, 10A, white
10	CM920/2RDWE	2 gang switch with red line, 10A, white
10	CM920/2NWE	2 gang switch with red LED, 10A, white

Square switches

4	CM940/3WE	4 gang, 3 x switch and 1 x blank, 10A, white
4	CM940/3RDWE	4 gang, 3 x switch with red line and 1 x blank, 10A, white
4	CM940/4WE	4 gang, 10A, white
4	CM940/4RDWE	4 gang with red line, 10A, white
4	CM940/4NWE	4 gang with red LED, 10A, white
4	CM940/6WE	6 gang, 10A, white

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

Powerpoints, Data and TV Sockets

CM787WE

CM777AWE

CM777WE

CM920/2RJ45HWE

Pack	Cat No.	
		Powerpoints 10A - 230-240Va.c. Single - plate size 116 x 72mm Double - plate size 116mm square mounting centres 84mm
		Horizontal single powerpoints
6	CM787WE	10A single socket powerpoint, white
6	CM787NWE	10A single socket powerpoint with red LED, white
6	CM787/15WE	15A single socket powerpoint, white
6	CM787/15NWE	15A single socket powerpoint with red LED, white
		Horizontal double autoswitch powerpoint
10	CM777AWE	10A double socket powerpoint autoswitch with red LED, white
		Square double powerpoints
4	CM777WE	10A double socket powerpoint, white
4	CM777NWE	10A double socket powerpoint with red LED, white

		RJ45 Data and coaxial sockets Single - plate size 116 x 72mm Double - plate size 116mm square mounting centres 84mm
		Horizontal data sockets
10	CM910/1RJ45HWE	1 gang, RJ45, CAT6, white
10	CM920/2RJ45HWE	2 gang, RJ45, CAT6 double socket, white
		Horizontal coaxial sockets
10	CM910/1FFWE	1 gang, F to F type, white
10	CM920/2FFWE	2 gang, 2 x F to F type, white
10	CM910/1PWE	1 gang, PAL to F type, white
		Horizontal combined outlets
10	CM920/2RJ45FHWE	2 gang, RJ45, CAT6, F to F type, white
10	CM920/2RJ45PHWE	2 gang, RJ45, CAT6, PAL to F type, white
		Square combined outlet
4	CM940/4RJFFPWE	4 gang, RJ45, CAT6, PAL to F type, F to F type, blank, white

Dimmers and Fan Controllers

CM400TWE

CM400T/2WE

CM920/1FC3HWE

CM920/1FC3WE

Pack	Cat No.	
		Dimmers - 230-240Va.c. Single - plate size 116 x 72mm Double - plates size 116mm square mounting centres 84mm
		Horizontal dimmers
6	CM400LHWE	2 gang 10A switch and 400VA leading edge dimmer, white
6	CM400THWE	2 gang 10A switch and 400VA trailing edge dimmer, white
		Vertical dimmer
6	CM400TWE	2 gang 10A switch and 400VA trailing edge dimmer, white
		Square dimmers
4	CM400T/2WE	4 gang 2 x 10A switch and 2 x 400VA leading edge dimmer, white
4	CM400TSW/2WE	4 gang 3 x 10A switch and 1 x 400VA trailing edge dimmer, white
4	CM400TSW/2NWE	4 gang 3 x 10A switch and 1 x 400VA trailing edge dimmer with red LED, white

		Fan Controllers - 230-240Va.c. Plate size 116 x 72mm mounting centres 84mm
		Horizontal fan controller
6	CM920/1FC3HWE	2 gang 10A switch and 100VA 3 speed, white
		Vertical fan controller
6	CM910FC3WE	1 gang, 100VA, 3 speed, white
6	CM920/1FC3WE	2 gang 10A switch and 100VA 3 speed, white

USB Charger Mechanisms

AR770USB2PSAMWE

Pack	Cat No.	USB chargers Used in conjunction with adaptor CMM910/770AWE or CMM920/770AWE	
1	AR770USB2PSMWE	Dual USB charger 2 x 2.1A	
1	AR770USB2PSAMWE	Dual USB charger 2 x 2.4A	NEW AVAIL Q4-2015
1	AR770USB2PSXMWE	Dual USB charger 2 x 2.4A With inline connector (Suits wall box 429R or 435)	NEW AVAIL Q4-2015
1	EAUSBEXF3WE	USB charger extension lead 3m. Can be used with AR770USB2PSXMWE To extend distance between USB socket and power supply	NEW AVAIL Q4-2015

Electronic Mechanisms

5 720 53

5 720 51

Pack	Cat No.	Automatic switches - 230-240Va.c.
		PIR Movement detection Adjustable detection distance from 3 to 10m Horizontal detection angle: 180° Adjustable luminosity threshold: 3 to 1000 lux Time delay adjustable from 1 sec to 16 min Cycle repeated as long as movement is detected Possible remote manual control with N/C push-button Integrated self-protection against overloads and short-circuits Installation in box min. depth 40mm recommended 2 modules
		PIR With neutral, 3-wire - 1000W
1	5 720 53	Operates: - up to 1000W incandescent and halogen lamps - up to 500VA ELV halogen lamps with ferromagnetic or electronic transformer, fluorescent tubes and compact fluorescent lamps White
		PIR Without neutral, 2-wire - 400W
1	5 720 52	Operates: - up to 400W incandescent and halogen lamps - up to 400VA ELV halogen lamps with ferromagnetic or electronic transformer White
		Sensitive switches - 230-240Va.c.
		For controlling light sources by simply passing the hand in front of the switch (less than 50mm) Up to 5 sensitive switches can be combined to control the same lighting circuit 3-wire installation IP40
1	5 720 51	Operates: - up to 1000W incandescent and halogen lamps - up to 500VA ELV halogen lamps with ferromagnetic or electronic transformer, flourescent tubes and compact flourescent lamps 2 modules White

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

Electronic Mechanisms

5 722 21

5 722 26

5 722 22

5 720 55

5 723 63

5 724 52

5 724 53

0 785 24

Pack	Cat No.	
1	5 722 21	**Skirting lights - 230-240Va.c.** **Standard** With LED 0.2 or 1W, White
1	5 722 26	**With Motion detector** With IR detection cell and LED When a person passes, the mechanism detects the presence and lights up. The function is equipped with an audible signal that can be disabled White
1	5 722 22	**Miniature emergency lighting unit 230-240Va.c.** Illuminates automatically upon failure Unclips from frame to become portable 2 Modules Mains and charging status LED Indicators White
1	5 720 55	**Time delay switches - 230-240Va.c** Adjustable from 25 sec to 15 min Operates: - 1000W incandescent and halogen 230V- 2300W resistive (heating) - 400VA fluorescent and ELV halogen It is possible to install a number of timer switches in parallel on the same circuit With integrated LED 2 wire installation 2 modules White
1	5 723 63	**Emergency stop mushroom head push-button - 230-240Va.c 10A** N/O + N/C 2 modules **With Key** Unlock with RONIS key no.601 Yellow/red

Pack	Cat No.	
1	5 724 52	**Illuminated lighting unit - 230-240Va.c.** Supplied with 4 coloured labels 1 module 1 W, White
1	5 724 53	**Overdoor lighting unit - 230-240Va.c.** Supplied with diffusers and LED 2 modules White, red diffuser
1	5 722 23	White, white diffuser
1	0 785 24	**Illuminated signs - 230-240Va.c.** Mechanisms integrating LEDs and a pivoting window that can take customised labels (printed using a simple text editor on transparent printing paper) 2 Modules **Green or Red** Sign with 2-state LEDs with choice of green or red configurable on the mechanism 1 W White
1	0 785 21	**Blue** Sign with blue LEDs with choice of green A choice of two power levels: 0.2 or 1 W White
1	5 722 04	**Buzzers - 230-240Va.c.** 230V 1 module, White
1	5 722 07	230V 2 modules, White

Note
Electronic mechanisms to be used in conjunction with support frames CMAR2MSF (2 modules) or CMAR3MSF (3 modules) and coverplates CM910PLWE or CMAR3MPLWE respectively.

Mechanisms Only

CMM910WE

CMM920/3WE

CMM910NWE

CMM910XWE

CMMRJ45C6WE

CMM910FFWE

CMM910/770AWE

Mechanisms only - 230-240Va.c.

Switch mechanisms

To be assembled with support frames and coverplates

Pack	Cat No.	
10	CMM910WE	1 gang switch mechanism, 10A, white
10	CMM910RWE	1 gang switch right side mechanism, 10A, white
10	CMM910LWE	1 gang switch left side mechanism, 10A, white
10	CMM910RDWE	1 gang switch mechanism with red line, 10A, white
10	CMM910RRDWE	1 gang switch right side mechanism with red line, 10A, white
10	CMM910LRDWE	1 gang switch left side mechanism with red line, 10A, white
10	CMM910NWE	1 gang switch mechanism with red LED, 10A, white
10	CMM910RNWE	1 gang switch right side mechanism with red LED, 10A, white
10	CMM910LNWE	1 gang switch left side mechanism with red LED, 10A, white
10	CMM910VWE	1 gang switch vertical mechanism, 10A, white
10	CMM910VNWE	1 gang switch vertical mechanism with red LED, 10A, white
10	CMM910IMWE	1 gang intermediate switch, 10A, white
10	CMM910/15WE	1 gang switch mechanism, 15A, white
10	CMM910/35WE	1 gang switch mechanism, 35A, white
10	CMM920/3WE	3 gang switch mechanism, 10A, white
10	CMM920/3NWE	3 gang switch mechanism with red LED, 10A, white

Push button switch mechanism

Pack	Cat No.	
10	CMM910XWE	1 gang spring return push mechanism, engraved press, 10A, white

Dimmer mechanisms

Pack	Cat No.	
10	CMM400TWE	400VA trailing edge dimmer mechanism, white

Powerpoint unswitched socket mechanisms

Pack	Cat No.	
10	CMM787RWE	10A socket outlet, right side mechanism, white
10	CMM787LWE	10A socket outlet, left side mechanism, white

Mechanisms only

RJ45 data mechanisms

Pack	Cat No.	
10	CMMRJ45C6WE	RJ45, CAT6, white
10	CMMRJ45C6RWE	RJ45, CAT6 right side mechanism, white
10	CMMRJ45C6LWE	RJ45, CAT6 left side mechanism, white

Coaxial PAL mechanisms

Pack	Cat No.	
10	CMM910PWE	PAL to F Type, white
10	CMM920PRWE	PAL to F Type, right side mechanism, white
10	CMM920PLWE	PAL to F Type, left side mechanism, white

Coaxial F-Type mechanisms

Pack	Cat No.	
10	CMM910FFWE	F to F type, white
10	CMM920FFRWE	F to F type, right side mechanism, white
10	CMM920FFLWE	F to F type, left side mechanism, white

Blank insert and adaptors

Pack	Cat No.	
10	CM910MBLANKWE	1 gang blank insert, white
10	CMM910/770AWE	1 gang adaptor for 770 mechanisms, white
10	CMM920/770AWE	1 gang adaptor for 770 mechanisms, left or right side, white

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

Installation Accessories

CM910PLWE

CM920PLWE

CMAR3MPLWE

CM910SF

CM940WALLBOX

143

CM940RENDERBR

CM940CCLIP

Coverplates

To be assembled with mechanisms, and support frames

Pack	Cat No.	
30	CM910PLWE	1 gang coverplate, white, and suits electronic mechanisms 2
30	CM920PLWE	2 gang coverplate, white
30	CMAR3MPLWE	3 gang coverplate, white, suits electronic mechanisms 3 modules
15	CM940PLWE	4 gang coverplate, white
30	CM920V1PLWE	2 gang coverplate, white, suits 2 vertical switches
30	CM920V2PLWE	2 gang coverplate, white, suits 1 vertical switch and 1 dimmer/ fan controller
30	CM920PLBLANKWE	Coverplate, white, blank

Support frames

To be assembled with mechanisms and coverplates

30	CM910SF	1 gang support frame
30	CM920SF	2 gang support frame
15	CM940SF	4 gang support frame
30	CMAR2MSF	2 gang support frame, suits electronic mechanism 2 modules
30	CMAR3MSF	3 gang support frame, suits electronic mechanism 3 modules

Installation accessories

Wall boxes

Pack	Cat No.	
10	429R	Plastic wall box with sliding nuts, retention clips and protective cover
4	CM940WALLBOX	Wall box, suits CM940SF

Fire and acoustic wall boxes

2 hour back-to-back configuration
3 hour single side configuration

1	435	Wall box
4	CM435/2	Wall box, suits CM940SF

Stud mounting brackets

20	143	Stud bracket
20	143/2	Stud bracket horizontal with nails
20	143/2V	Stud bracket vertical with nails
10	143U	Stud bracket vertical or horizontal with nails
4	CM940STUDBR	Stud bracket, suits CM940SF

Render mounting brackets

20	954	Render bracket
12	CM940RENDERBR	Render bracket, suits CM940SF

Plaster mounting clips

50	712	Plaster wall c-clip
8	CM940CCLIP	Plaster wall c-clip, suits CM940SF

Protective insulation shrouds

16	CM910SHROUD	Insulation shroud, suits CM910SF
8	CM920SHROUD	Insulation shroud, suits CM920SF
4	CM940SHROUD	Insulation shroud, suits suits CM940SF

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

Como Modular Design

Assembly of 1 gang device

Support Frame
CM910SF

Symetrical
Mechanism
CMM910NWE

Coverplate
CM920PLWE

Assembly of 2 gang device

Support Frame
CM920SF

Left Side
Mechanism
CMM910LNWE

Right Side
Mechanism
CMM910RNWE

Coverplate
CM920PLWE

Assembly of 4 gang device

Support Frame
CM940SF

Left Side
Mechanisms
CMM910LNWE

Right Side
Mechanisms
CMM910RNWE

Coverplate
CM940PLWE

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices
please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

Como Modular Design

Assembly of 2 gang vertical device

Support Frame
CM920SF

Vertical
Mechanism
(Combination of
vertical switch and
dimmer/fan controller

Coverplate
CM920V2PLWE

Assembly of 2 gang vertical device

Support Frame
CM920SF

Vertical
Mechanisms
2 x CMM910VNWE

Coverplate
CM920V1PLWE

Assembly of electronic mechansims

Support Frame
CMAR2MSF (2 modules)
CMAR3MSF (3 modules)

2 Modules
Mechanism
5 720 51

Coverplate
CM910PLWE (2 modules)
CMAR3MPLWE (3 modules)

ASSISTED LIVING

Legrand offers products and systems designed for people who are experiencing a loss of independence, making it easier for them to continue living at home longer.

Fall Prevention

Skirting lights and
Door frame lights

Telecare - Tynetec

Personal emergency response systems

Energy Saving

Time delay switches and
Sunset switches

Automation and Alarms

Automated functions for senior living. Smoke, flood and other alarms.

Door Entry System and Access Control

Remotely open doors or gates

Access Control

Badge readers for easy and secure access and control of door

Contact us for further information on Legrand independent living solutions

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local HPM Legrand customer service representative. Specifications are subject to change without prior notice.

NOTES

Legrand Australia
Building 4 Nexus Industry Park
43-47 Lyn Pde Prestons NSW 2170
☎ 1300 369 777
www.legrand.com.au

Legrand New Zealand
106-124 Target Road Glenfield
Auckland 0627 New Zealand
☎ 0800 476 009
www.legrand.co.nz

07/2015