EXCEL *life*

SMART

STYLE MEETS SMART HOME

CATALOGUE PAGES INSIDE

THE **GLOBAL SPECIALIST**
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES

legrand®

EXCEL *life*

SMART

MAKE IT SMART

SIMPLIFY DAILY LIFE

SCENARIOS



ENERGY MANAGEMENT

Introducing **Excel Life Smart** - a collection of smart wiring devices second to none. Combining local design and engineering with world-class smart home technology by Netatmo, this collection of switches and powerpoints blends seamlessly with existing Excel Life installations with the added convenience of full home control using a wall switch, smart phone or voice via a digital assistant.

Enjoy convenience, security and greater energy efficiency without the need to replace existing lighting or appliances.

Smarter than your average switch!

legrand

EASY TO INSTALL

EXCEL LIFE DESIGN BASED ON 240V a.c. WIRING

INTEGRATED SMART TECHNOLOGY

FUTURE-PROOF TECHNOLOGY

COMPATIBLE WITH ALL DIGITAL ASSISTANTS

Works with Apple HomeKit

works with the Google Assistant

WORKS WITH alexa

eliot PROGRAM BY LEGRAND

WORKS WITH legrand

DATA SAFETY

LEGRAND OWNED CLOUD

HIGH-LEVEL ENCRYPTION

"RELOCATE ME ANYWHERE"

2 GANG SWITCH EWN770/2WE

SINGLE GPO EWN787MB

WIRELESS SWITCH EWNWSW1MW

Excel Life WITH Netatmo

Gateway and starter kit

MUST BE ORDERED FOR ANY CONNECTED INSTALLATION

STEP 1: Gateway or Starter kit

412181

EWNSKITWE

Used to control your home remotely (lighting and electrical appliances) using a smartphone via the Home + Control App and/or voice control (via a voice assistant). Must be ordered for any connected installation. The individual connected products can be added to the gateway or starter kit. 2.4GHz Wi-Fi connection required.

Pack	Cat No.	Gateway
1	412181	Used to create a connected installation. - 1 Gateway 240V a.c. Wi-Fi 2.4GHz 802.11 b/g/n Zigbee 2.4GHz to 2.4835GHz. DIN rail mounting. 2 modules DIN.

Pack	Cat No.	Starter kit
1 1 1	EWNSKITWE EWNSKITMW EWNSKITMB	Used to create a connected installation Includes: - 1 Gateway 240V a.c. Wi-Fi 2.4GHz 802.11 b/g/n Zigbee 2.4GHz to 2.4835GHz. Supplied with support frame, grid & plate. - 1 Wireless master switch with preset scenarios which can be customised in the Home + Control App. Supplied with CR2032 3V battery for power supply and 4 removable stickers for wall installation. LED function for low battery indication. Supplied with support frame and coverplate. Zigbee 2.4GHz to 2.4835GHz ○ White ○ Matt White ● Matt Black

Red catalogue number: new product

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local Legrand customer service representative

Excel Life WITH Netatmo

Connected products

STEP 2: Connected products

EWN770/1WE

EWN770/2MB

EWN770/3MW

Used to complete your connected installation, requires prior installation of a gateway or starter kit.

Pack	Cat No.	Smart switch
		240V a.c. 3 wire Max. load 100W Compatible with most traditional and LED lighting loads Zigbee 2.4GHz to 2.4835GHz Horizontal or Vertical orientation
1 1 1	EWN770/1WE EWN770/1MW EWN770/1MB	○ White - 1 gang ○ Matt White - 1 gang ● Matt Black - 1 gang
1 1 1	EWN770/2WE EWN770/2MW EWN770/2MB	○ White - 2 gang ○ Matt White - 2 gang ● Matt Black - 2 gang
1 1 1	EWN770/3WE EWN770/3MW EWN770/3MB	○ White - 3 gang ○ Matt White - 3 gang ● Matt Black - 3 gang

Pack	Cat No.	Wireless switch
		Supplied complete with CR2032 3V battery and 4 stickers to mount on walls. Zigbee 2.4GHz to 2.4835GHz.
1 1 1	EWNWSW1WE EWNWSW1MW EWNWSW1MB	○ White - 1 gang ○ Matt White - 1 gang ● Matt Black - 1 gang

Red catalogue number: new product

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local Legrand customer service representative

Excel Life WITH Netatmo

Connected products

STEP 2: Connected products

EWNDIM1MW

EWNDIM2MB

EWN787MW

EWNM770WE

EWNMDIMMW

EWN770/3GPLMB

Pack	Cat No.	Smart dimmer
		240V a.c. 3 wire Max. load 150W Compatible with most traditional and LED lighting loads. Zigbee 2.4GHz to 2.4835GHz Dimmer mode and LED locator can be activated in the Home + Control app.
1 1 1	EWNDIM1WE EWNDIM1MW EWNDIM1MB	○ White - 1 gang ○ Matt White - 1 gang ● Matt Black - 1 gang
1 1 1	EWNDIM2WE EWNDIM2MW EWNDIM2MB	○ White - 2 gang ○ Matt White - 2 gang ● Matt Black - 2 gang
1 1 1	EWNDIM3WE EWNDIM3MW EWNDIM3MB	○ White - 3 gang ○ Matt White - 3 gang ● Matt Black - 3 gang

Pack	Cat No.	Smart single powerpoint
		Used to control electrical appliances remotely Can be paired with one or more wireless switch to create a controlled socket 10A 240V a.c. Measures instantaneous power and monitors daily and monthly consumption, plus sends configurable notifications (fault, consumption, etc) Zigbee 2.4GHz to 2.4835GHz
1 1 1	EWN787WE EWN787MW EWN787MB	○ White ○ Matt White ● Matt Black

Pack	Cat No.	Excel Life with Netatmo mechanisms
		Switch mechanisms 240V a.c. 3 wire Max. load 100W Compatible with most traditional and LED lighting loads.
1 1 1	EWNM770WE EWNM770MW EWNM770MB	○ White ○ Matt White ● Matt Black
		Dimmer mechanisms 240V a.c. 3 wire Max. load 150W Compatible with most traditional and LED lighting loads. Zigbee 2.4GHz to 2.4835GHz Dimmer mode and LED locator can be activated in the Home + Control app.
1 1 1	EWNMDIMWE EWNMDIMMW EWNMDIMMB	○ White ○ Matt White ● Matt Black

Pack	Cat No.	Grid & plates
		To be equipped with Excel Life with Netatmo mechanisms
1 1 1	EWN770/1GPLWE EWN770/1GPLMW EWN770/1GPLMB	○ White - 1 gang ○ Matt White - 1 gang ● Matt Black - 1 gang
1 1 1	EWN770/2GPLWE EWN770/2GPLMW EWN770/2GPLMB	○ White - 2 gang ○ Matt White - 2 gang ● Matt Black - 2 gang
1 1 1	EWN770/3GPLWE EWN770/3GPLMW EWN770/3GPLMB	○ White - 3 gang ○ Matt White - 3 gang ● Matt Black - 3 gang

Red catalogue number: new product

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local Legrand customer service representative

STEP 2: Connected products

067694

574243

574252

412015

Used to complete your connected installation, requires prior installation of a Starter kit cat no. EWNSKIT series or DIN-rail gateway cat no. 412181

Pack	Cat No.	Wireless switch module ON/OFF
1	067694	Allows to transform a mechanical 2-way switch into a wireless on/off switch. Small size for easy integration into the wall box To be paired with one connected switch, micro-module, socket outlet Supplied with CR2032 3V long-life battery for powersupply
1	574243	**Smart micromodule** Used to provide connected lighting 300W, with neutral Can be controlled by home + control app, smart auxiliary switch, momentary switches or wireless switches To be installed close to the lighting load Zigbee 2.4GHz to 2.4835GHz

Used to complete your connected installation, requires prior installation of a gateway or starter kit.

Pack	Cat No.	Motion sensor
1	574252	Allows to control up to 20 wired switches,micromodules and socket outlets Easy pairing by tapping the wired products Supplied with 2 x AA battery For indoor and outdoor use Recommended distance between 2 sensors: 6 m Recommended installation height: 2.5 m Time delay adjustable from 1 to 30 min Range: 8 m Detection angle: 140° Sensor range adjustable from 2 m to 8 m Light level threshold adjustable from 1 to 1000 lux
1	412015	**Energy module for ⊔ rail mounting** Measures the instantaneous and cumulative global electrical consumption of a single phase installation (63A maxi) Sends a notification in case of reaching a configurable limit in the Home + Control App. Delivered with 1 coil 1 module
1	067697	**Connected curtain/roller blind micromodule** For local and remote control of a 230 V∿ roller blind (raise/lower/stop functions and level management) Compatible with roller blinds with mechanical or electronic stop, not compatible with radio-controlled roller blinds. Can be paired with one or more roller blind wireless switches. To be installed in the ceiling box or roller blind box to connect a new or existing roller blind.

Red catalogue number: new product

Whilst most items are stock lines some products are made to order. For delivery dates, custom prints and latest prices please contact your local Legrand customer service representative



eliot™
PROGRAM BY LEGRAND

INTRODUCING ELIOT: Legrand's connected devices programme that helps bring smart, energy-efficient buildings to life. With Eliot, Legrand is constantly innovating to make the connected home simpler to access and use with an ever-increasing choice of solutions.

NETATMO CAMERAS AND WEATHER STATIONS

DOOR ENTRY SYSTEMS

ARTEOR WITH NETATMO SWITCHES & SOCKETS

SMART DOWNLIGHTS

GALAXY
CONNECTED EMERGENCY LIGHTING SYSTEM

GALAXY - CONNECTED EMERGENCY LIGHTING SYSTEM

EXCEL LIFE SMART SWITCHES & SOCKETS

Legrand Australia
Building 4, Nexus Industry Park
43-47 Lyn Pde Prestons NSW 2170
1300 369 777
www.legrand.com.au

Legrand New Zealand
106-124 Target Road Glenfield
Auckland 0627 New Zealand
0800 476 009
www.legrand.co.nz

Disclaimer: The information provided in this document is intended for informational purposes only has been prepared and reviewed with all reasonable care, believed to be correct at the time of printing. Legrand Australia and New Zealand may also make improvements and/or changes in the products, pricing and/or programs described in this information at any time without notice.

03/2021 LEG3091