PRODUCT DATASHEET
DULUX D 10 W/3000K G24d-1

OSRAM DULUX D | CFLni, 2 tubes, with 2-pin base for CCG operation



AREAS OF APPLICATION

- Offices, public buildings
- Shops
- Supermarkets and department stores
- Hotels, restaurants
- Industry

PRODUCT BENEFITS

- Extremly economical
- Good quality of light
- Excellent luminous flux
- Long service life
- Improved maintenance

PRODUCT FEATURES

- Color rendering index R_a: ≥ 80
- Short and compact pin-base lamp with double-turn tubes
- Single-ended two-pin plug-in G24d base



© 2021, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Rated wattage	10.00 W
Nominal wattage	10.00 W

Photometrical data

Nominal luminous flux	600 lm
Rated luminous flux	600 lm
Rated color temperature	3000 K
Color rendering index Ra	80...89
Rated LLMF at 2,000 h	0.85
Rated LLMF at 4,000 h	0.78
Rated LLMF at 6,000 h	0.72
Rated LLMF at 8,000 h	0.68
Color temperature	3000 K
Luminous flux	600 lm
Color rendering index Ra	80...89

Dimensions & weight



Diameter	12.0 mm
Overall length	110.0 mm
Length	110.0 mm
Outer bulb	T12X3

Lifespan

Nominal lamp life time	10000 h
Rated lamp life time	10000 h
Rated lamp survival factor at 2,000 h	0.99
Rated lamp survival factor at 4,000 h	0.94

© 2021, LEDVANCE GmbH. All rights reserved.

Rated lamp survival factor at 6,000 h	0.84
Rated lamp survival factor at 8,000 h	0.69
Operation mode LLMF/LSF	50 Hz
Lifespan	10000 h [1)]

[1)] With CCG/LLCG

Additional product data

Base (standard designation)	G24d-1
Mercury content	1.4 mg

Capabilities

Suitable for indoor	Yes

EQUIPMENT / ACCESSORIES

– Suitable for operation on conventional control gear

SAFETY ADVICE

In case of lamp breakage: www.ledvance.com/brokenlamp

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321830715	Folding carton box 1	35 mm x 35 mm x 118 mm	40.70 g	0.14 dm^3
4008321830722	Shipping carton box 10	186 mm x 81 mm x 132 mm	461.00 g	1.99 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2021, LEDVANCE GmbH. All rights reserved.