Product data sheet

Specifications

Cap Single Port USB Charger, Iconic, Type C

40E1USBCCAP-AN

Main

Range	Iconic
Product or component type	Socket cap
Colour tint	Anthracite (AN)

Complementary

Product destination	USB charger
Device mounting	Flush
Switch function	2 positions
Connector type	USB type C
Marking	Blank
Material	ABS (acrylonitrile butadiene-styrene)
Height	20 mm
Width	20 mm
Depth	2 mm
fixing mode	Clip-in
Material	ABS (acrylonitrile butadiene-styrene)
Surface finish	Matt
surface treatment	Untreated

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	0.5 cm
Package 1 Length	6.5 cm
Package 1 Weight	2.5 g
Unit Type of Package 2	BAG
Number of Units in Package 2	5
Package 2 Height	0.4 cm
Package 2 Width	10 cm
Package 2 Length	15 cm
Package 2 Weight	12.5 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Total lifecycle Carbon footprint	**35 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**35 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
Halogen-free status	**Halogen free product**
PVC free	**No**
Silicone-free	**No**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**4**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative