

Product data sheet

Specifications



PDL Iconic, telephone socket, British, 2 wire, telephone symbol & shutter

PDL317M2-TN

Main

Range	Iconic
Product or component type	Telephone socket
Device presentation	Mechanism
Telephone socket type	British (1 contacts)
Colour tint	Translucent (TN)

Complementary

Device mounting	Flush
Number of modules	1 module
Provided equipment	Cable shroud
Type of cable	Twisted pair
fixing mode	Clip-in
Surface finish	Glossy
surface treatment	Untreated
Type of packing	Polybag
Ambient air temperature for storage	-40...70 °C
Ambient air temperature for operation	-10...60 °C
Material	PC (polycarbonate)
Height	30 mm
Number of terminals	2
Width	30 mm
Depth	53 mm
Product weight	0.018 kg
Connection position	Direct connection
Connections - terminals	Push-in
Marking	Telephone
Socket additional information	Shuttered

Environment

Product certifications	Telepermit
------------------------	------------

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	3 cm
Package 1 Length	3 cm
Package 1 Weight	20.1 g

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.8 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.6 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	19
End of life manual availability	No need of specific recycling operations
Take-back	No

Offer Marketing Illustration

Product benefits / Features

Technical Benefits
Iconic



This is British standard telephone socket compliant with UK wiring standards



Presence of a telephone symbol on the socket clearly indicates its function



2 wire configuration, indicates the socket is designed for a standard telephone line



Shutter feature helps protect the socket, preventing dust or foreign objects



Iconic product has a sleek, modern design and functionality