Product data sheet
Characteristics

VW3A1103
transparent door - for remote graphic terminal - IP65

Main

Range of product	Altivar
Accessory / separate part category	Protection accessories
Accessory / separate part type	Door for remote mounting kit
Product compatibility	VW3A1102
Accessory / separate part destination	Remote graphic display terminal (VW3A1101)
Range compatibility	Altivar 71Q Altivar 212 Altivar 71 Altivar 61Q Altivar Machine ATV320 Altivar 61 Altivar 32
IP degree of protection	IP65

Complementary

Net weight	0.04 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	168 g
Package 1 Height	7.3 cm
Package 1 width	17 cm
Package 1 Length	23.5 cm
Unit Type of Package 2	S03
Number of Units in Package 2	7
Package 2 Weight	1.676 kg
Package 2 Height	30 cm
Package 2 width	30 cm
Package 2 Length	40 cm
Unit Type of Package 3	P06
Number of Units in Package 3	56
Package 3 Weight	23.612 kg
Package 3 Height	80 cm
Package 3 width	80 cm
Package 3 Length	60 cm

Offer Sustainability

REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.
This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.
It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof.
Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration

Contractual warranty

Warranty	18 months

Door for Remote Graphic Display Terminal

Dimensions