


Spacial CRN



type 1
M8
15 Nm
132,75 lb-in



type 2
diam. 8





type 3
M5
2 Nm
17,70 lb-in




type 4
M6
5 Nm
44,25 lb-in






type 5
diam. 6

A**1****x4****2**

type 2

x4**3**










type 2 / type 1







x4**1****1'****x4**

To maintain the same UL type rating, all conduit fittings and other components installed in openings made in the enclosure must have its same ratings and only wall fixing bracket NSYPFCR may be used. When installed as a Type 2 or 3R enclosure, drill a drain hole (3.2 - 6.4 mm (1/8 - 1/4 in) diameter) in the lowest part of the bottom wall.

It is the customer responsibility to fulfill requirements of section 19 (Openings) of UL508A Standard and Section 9.6 (Equipment openings) of UL50E Standard.

Il est de la responsabilité du client de respecter les exigences de la section 19 (Openings) de la Norme UL508A et la section 9.6 (Equipment openings) de la norme UL50E

A**1** type 3**A****1****2****3****4****5****6**



Structural accessories Accessoires structuraux Accesorios estructurales	Possible combinations Possibles combinaisons Posibles combinaciones			
	S-1	S-2	S-3	S-4
(S-1) NSYTJ...		✓	✓	✓
(S-2) NSYPFCR	✓		✓	
(S-3) NSYSPF...	✓	✓		
(S-4) NSYCOCN80	✓			

Application accessories Accessoires d'application Accesorios de aplicación	Possible combinations Possibles combinaisons Posibles combinaciones						
	A-1	A-2	A-3	A-4	A-5	A-6	A-7
(A-1) NSYMB... NSYMM... NSYMS... NSYMF... NSYMR...		✓	✓	✓	✓	✓	✓
(A-2) NSYPIN...	✓		✓				
(A-3) NSYSDCR...	✓	✓		✓			✓
(A-4) NSYDLM... NSYDLCR...	✓		✓				
(A-5) NSYDLA... NSYDLPLM...	✓						
Dimensions 600 mm wide Dimensionne largeur 600 mm Dimensiones ancho 600 mm				Possible combinations Possibles combinaisons Posibles combinaciones			
(A-6) NSYVDM...P	✓						
(A-7) NSYVDM...F	✓		✓				