Product End of Life Instructions


Resi9 SB Flush Enclosures

as referent product for :

All Enclosure in Resi9 range



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	ABS with brominates flame retardants	249.16	ABS material with FR
To be depolluted	2	Cable (high current)	9.36	Cable

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Resi9 Enclosures allow installation and protection of electrical devices while ensuring protection and safety of persons, they are intended for residential sector.
Product reference	R9HSB215F
Additional similar product references	R9HSB110F, R9HSB415F
Total representative product mass	2590 g
Representative product dimensions	395mm x 380mm x 107mm
Accessories	No
Date of information release	09/2023

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	**33%**	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2306030_V1

© 2023 - Schneider Electric – All rights reserved

09/2023