
Product End of Life Instructions

Complete Illuminated Metalic Pushbutton



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted		PC, ABS-PC, PA, PA6, HDPE, SAN with brominates flame retardants	0.88	GREEN AND RED PLASTIC PARTS

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Illuminated metalic complete unit with contact function. It combines simplicity of installation, flexibility, and robustness. It meets the requirements of the majority of industrial applications.
Product reference	XB4BW33B5
Additional similar product references	XB4BW33B5 XB4BW13B5 XB4BW13G5 XB4BW14B5 XB4BW14G5 XB4BW15G5 XB4BW3135 XB4BW3145 XB4BW3161 XB4BW3165 XB4BW31B1 XB4BW31B3 XB4BW31B5 XB4BW31G1 XB4BW31G5 XB4BW31M1 XB4BW31M5 XB4BW3335 XB4BW3345 XB4BW3361 XB4BW3363 XB4BW3364 XB4BW3365 XB4BW33B1 XB4BW33B3 XB4BW33G1 XB4BW33G3 XB4BW33G5 XB4BW33J3 XB4BW33M1 XB4BW33M3 XB4BW33M5
Total representative product mass	86.24 g
Representative product dimensions	47mm X 30mm X 57mm
Date of information release	10/2018

Additional information

Legal information		This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	**63%**	Based on “ECO’DEEE recyclability and recoverability calculation method” (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
http://www.schneider-electric.com/contact

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1808008EN_V1

© 2018 - Schneider Electric – All rights reserved

10/2018