

CATALOGUE

ELECTRICAL & MECHANICAL SUPPORT SYSTEMS

Metal Framing • Pipe Supports • Fittings, Nuts & Hardware • Cable Trays and Cable Ladders

UNISTRUT®

A PART OF  **atkore**
INTERNATIONAL



UNISTRUT®

CABLE TRUNKING STEEL

TRUNKING STRAIGHT LENGTH

Manufactured in a variety of sizes this product features plastic quick fix buttons plus locking cams for the simple removal and replacement of lids.

- Trunking supplied in 3 metre lengths.
- Bodies complete with lid and joiner
- All fastenings integral with parts and accessories.
- Available in any colour on request.


Standard Finish

Galvabond.

Also available to order in Stainless Steel or Aluminium.


Supplied in 2.4m length.

Width	Height
50mm	50mm
75mm	50mm
75mm	75mm
100mm	50mm
100mm	75mm
100mm	100mm
150mm	50mm
150mm	100mm




4 WAY HORIZONTAL

Part No.	Width	Height
4XH/5050/G	50mm	50mm
4XH/7550/G	75mm	50mm
4XH/7575/G	75mm	75mm
4XH/10050/G	100mm	50mm
4XH/10075/G	100mm	75mm
4XH/100100/G	100mm	100mm
4XH/150100/G	150mm	100mm



FLANGE ADAPTOR

Part No.	Width	Height
FA/5050/G	50mm	50mm
FA/7550/G	75mm	50mm
FA/7575/G	75mm	75mm
FA/10050/G	100mm	50mm
FA/10075/G	100mm	75mm
FA/100100/G	100mm	100mm
FA/150100/G	150mm	100mm




UNISTRUT®

CABLE TRUNKING STEEL


TWIST ADAPTOR

Part No.	Width	Height
TA/5050/G	50mm	50mm
TA/7550/G	75mm	50mm
TA/7575/G	75mm	75mm
TA/10050/G	100mm	50mm
TA/10075/G	100mm	75mm
TA/100100/G	100mm	100mm
TA/150100/G	150mm	100mm




90° HORIZONTAL BEND

Part No.	Width	Height
HB/5050/G	50mm	50mm
HB/7550/G	75mm	50mm
HB/7575/G	75mm	75mm
HB/10050/G	100mm	50mm
HB/10075/G	100mm	75mm
HB/100100/G	100mm	100mm
HB/150100/G	150mm	100mm




TEE LID OUTSIDE

Part No.	Width	Height
TLO/5050/G	50mm	50mm
TLO/7550/G	75mm	50mm
TLO/7575/G	75mm	75mm
TLO/10050/G	100mm	50mm
TLO/10075/G	100mm	75mm
TLO/100100/G	100mm	100mm
TLO/150100/G	150mm	100mm



TEE LID INSIDE

Part No.	Width	Height
TLI/5050/G	50mm	50mm
TLI/7550/G	75mm	50mm
TLI/7575/G	75mm	75mm
TLI/10050/G	100mm	50mm
TLI/10075/G	100mm	75mm
TLI/100100/G	100mm	100mm
TLI/150100/G	150mm	100mm




UNISTRUT®

CABLE TRUNKING STEEL


JOINERS

Part No.	Width	Height
SJ/5050/G	50mm	50mm
SJ/7550/G	75mm	50mm
SJ/7575/G	75mm	75mm
SJ/10050/G	100mm	50mm
SJ/10075/G	100mm	75mm
SJ/100100/G	100mm	100mm
SJ/150100/G	150mm	100mm




END CAP

Part No.	Width	Height
C/5050/G	50mm	50mm
C/7550/G	75mm	50mm
C/7575/G	75mm	75mm
C/10050/G	100mm	50mm
C/10075/G	100mm	75mm
C/100100/G	100mm	100mm
C/150100/G	150mm	100mm




90° LID INSIDE

Part No.	Width	Height
HBLI/5050/G	50mm	50mm
HBLI/7550/G	75mm	50mm
HBLI/7575/G	75mm	75mm
HBLI/10050/G	100mm	50mm
HBLI/10075/G	100mm	75mm
HBLI/100100/G	100mm	100mm
HBLI/150100/G	150mm	100mm



90° LID OUTSIDE

Part No.	Width	Height
HBLO/5050/G	50mm	50mm
HBLO/7550/G	75mm	50mm
HBLO/7575/G	75mm	75mm
HBLO/10050/G	100mm	50mm
HBLO/10075/G	100mm	75mm
HBLO/100100/G	100mm	100mm
HBLO/150100/G	150mm	100mm




UNISTRUT®

CABLE TRUNKING STEEL


REDUCER

Part No.	Width	Height
R/5050/G	50mm	50mm
R/7550/G	75mm	50mm
R/7575/G	75mm	75mm
R/10050/G	100mm	50mm
R/10075/G	100mm	75mm
R/100100/G	100mm	100mm
R/150100/G	150mm	100mm




TEE HORIZONTAL

Part No.	Width	Height
TH/5050/G	50mm	50mm
TH/7550/G	75mm	50mm
TH/7575/G	75mm	75mm
TH/10050/G	100mm	50mm
TH/10075/G	100mm	75mm
TH/100100/G	100mm	100mm
TH/150100/G	150mm	100mm



COMMON PROFILES



Part No.	Compartments	Finish
ALSKM	2	AL/E
TD135	2	AL/E
TD152	2	AL/E
TD155 CAT 6	2	AL/E
TD180 CAT 6	2	AL/E

NOTES:

Material: Aluminium 6063-T5


Standard length: 3 metres

Types of Finish: AL = Mill Finish

E = Epoxy Powder Coat Anodised

* Specify clearly top or bottom lid. Ask for details of available punched hole shapes for outlet sw/skts.

COMMON PROFILES



Part No.	Compartments	Finish
SD100	1	AL/E
TD100	2	AL/E
TD110	2	AL/E
TD145	2, 3, 4 (with divider strip)	AL/E
TD200	2 (with divider strip)	AL/E
Uniduct	2, 3, 4 (with divider strip)	AL/E

NOTES:

Material: Aluminium 6063-T5

Standard length: 3 metres

Types of Finish: AL = Mill Finish

E = Epoxy Powder Coat Anodised

* Specify clearly top or bottom lid. Ask for details of available punched hole shapes for outlet sw/skts.