

Product datasheet

Specifications



Cover frame, Iconic, for switched socket, 15A, 250V, horizontal, extra black

3015/15C-XB

Main

Range of product	Iconic
Range	Iconic
Aesthetic name	Iconic
Product or component type	Cover frame
Colour tint	Extra black (XB)
Type of packing	Polybag
Quantity per set	Set of 20
Number of gangs	1 gang

Complementary

Range compatibility	Clipsal Iconic switched socket Iconic switched socket
Product destination	Switched socket
Device mounting	Flush
Number of rocker	1
Number of power socket outlets	1
Provided equipment	Switched socket
Installation direction	Horizontal
fixing mode	Clip-on
Surface finish	Matt
surface treatment	Untreated
Material	PC (polycarbonate): skin
Height	78 mm
Width	120 mm
Depth	12 mm
Net weight	0.02 kg
Main material	Polycarbonate

Environment

Ambient air temperature for storage	0...60 °C
Ambient air temperature for operation	0...45 °C
Relative humidity	10...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.2 cm
Package 1 Width	7.8 cm
Package 1 Length	12 cm
Package 1 Weight	21 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	32.8 cm
Package 2 Width	10.6 cm
Package 2 Length	14.6 cm
Package 2 Weight	543.645 g
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	33.5 cm
Package 3 Width	26.1 cm
Package 3 Length	33.5 cm
Package 3 Weight	3.066 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Removable battery	No