

Product data sheet

Specifications



Cable outlet, Iconic, horizontal, extra black

PDL327CEP-XB

Main

Range	Iconic
Product or component type	Cable outlet
Device presentation	Complete product
fixing mode	By screws
Colour tint	Extra black (XB)

Complementary

Device mounting	Flush
Provided equipment	Cable entry plate
cable entry	Flexible flaps
Outlet standard deviation	Australian/New Zealand
Mounting mode	Horizontal
Surface finish	Matt
Type of packing	Polybag
Quantity per set	Set of 10
Material	PC (polycarbonate): grid plate
Height	78 mm
Width	120 mm
Depth	20 mm
Net weight	61 g
Main colour tint	Extra black

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.8 cm
Package 1 Width	2 cm
Package 1 Length	12 cm
Package 1 Weight	94 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	32.8 cm
Package 2 Width	10.6 cm
Package 2 Length	14.6 cm
Package 2 Weight	1.04 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	50
Package 3 Height	34.5 cm
Package 3 Width	26.1 cm
Package 3 Length	33.5 cm
Package 3 Weight	5.2 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.4 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Again



Repack and remanufacture

Recyclability potential, in %	48
End of life manual availability	No need of specific recycling operations
Removable battery	No

Image of product / Alternate images

Alternative







